WATE	R WEI	LL RECORD	Form WW	C-5	Division of Water	r Resources App. No	o. 47,246	
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number		
	ty: Rer		1/4 NW 1/4 NE 1/		5	T 24 S	R 6 □E 🗗 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here								
				Longitude: (in decimal degrees) Elevation:				
				Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Patch Revocable Trust					Collection Method:			
RR#, Street Address, Box #: 9028 South Butterfly Rd. City, State, ZIP Code : Beloit WI 53511					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City.	, State, Z	Beloit, V	VI 53511					
Est. Accuracy:								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .84								
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1)							
WELL 5 STATIC WATER BEVELOCION talle surface incasured on more and surface incasured on the								
EST VIELD com Well water was the offer house numerical								
W NW NE EST. FIELD								
WELL WATER TO BE USED AS:								
SW SE Domestic								
☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted								
was submitted: Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel V PVC Other								
Casing diameter .16 in. to .64 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface. 24 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No500								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout In	tervals:	From .20 ft. to		f	i. to ft.,	From	. ft. toft.	
Grout Intervals: From .20								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens. ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well .none								
Direc	-	n well						
FROM	ТО	LITHOLOG	IC LOG 1	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	2	Top soil						
2	5	Brown clay						
5 23	23 83	Tan clay Small to medium sand						
83	84	Clay						
		Jiay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .9-24-09								
under the business name of Rosencrantz-Bemis Ent. by (signature) Automation (mo/day/year) 9.29.99								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								

47,246