WATER WELL RECORD	Form WV	WC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:	Fraction		Section Number Township No. Range Number	
County: Reno		=1/4 NW1/4		
Street/Rural Address of Well Location;			Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here .			Latitude:	
		Longitude: (in decimal degrees) Elevation:		
			Datum: WGS 84, NAD 83, NAD 27	
	1 Eash		Collection Method:	
RR#, Street Address, Box #: 3403 W Longview Rd		GPS unit (Make/Model:)		
City, State, ZIP Code : Huke	: hinson, KS 6	7501	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL	<u></u>		Est. Accuracy. ( 3 m, ) 3-3 m, 5-13 m, 7-13 m	
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	10.6	ft.	
SECTION BOX: Depth(s) Ground				
	WELL STATIC WATER ELVEL VICTORIA SETTLES INCIDENT AND SETTLES INCIDENT AND SETTLES INCIDENT AND SETTLES AND SETTLE			
Pump	Pump test data: Well water was 10.2			
EST. YIELD. 1.8				
W   E   Bore Hole Diameter				
Downstin Decidlet Doil field vector symply Devectoring Defect (Specify below)				
SW  SE				
Was a chemical/bacteriological sample submitted to Department?  Yes No				
S If yes, mo/day/yr sample was submitted				
1 mile  Water well disinfected? ☑ Yes ☐ No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS:  Glued  Clamped  Welded  Threaded				
Casing diameter 6				
Casing height above land surface				
Steel Stainless Steel PVC Other (Specify)				
☐ Brass ☐ Galvanized Steel ☑ None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS: From				
From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other				
Grout Intervals: From	ft., From جنگ ft.	•••••	. ft. to ft., From ft. toft.	
What is the nearest source of possible conta	·	Livestock	pens	
☐ Septic tank       ☐ Lateral lines       ☐ Pit privy       ☐ Livestock pens       ☐ Insecticide storage       ☐ Other (specify below)         ☐ Sewer lines       ☐ Cesspool       ☒ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
			from well/./.Q	
FROM TO LITHOLOG		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
17 Rocky Br Clay	<u> </u>			
17 106 Shale				
	A VALUE OF THE PARTY OF THE PAR			
	.,			
T CONTRACTORIS OF LANDOWN	NC CEDTIEIC ATTO	V. This	Lancord Constitution of the Constitution of th	
/ CUNTRACTUR'S OR LANDOWNER	n (mo/day/year) 3 = 3	N: Inis wat	ter well was 🔀 constructed, 🗌 reconstructed, or 🔲 plugged	
under my jurisdiction and was completed on (mo/day/year) 32.3				
under the business name of Miller	under the business name of Miller Drilling by (signature) by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212				