WATER WELL RECORD	Form WW	1C-5	1	Division of Wate	Resources App.	NO. –		
1 LOCATION OF WATER WELL:	Fraction				Township No.		Number	
County: Reno Street/Rural Address of Well Location;	NW 1/4 SE 1/4 NW			11 	<u>T 24 S</u>	<u>R6</u>	E 🗹 W	
from nearest town or intersection: If at					System (GPS)			
8803 E Arlington Rd	owner o address, eneer r	icic ₩						
Haven, KS			Elev	Elevation:				
				Datum: 🔲 WGS 84, 🔲 NAD 83, 🔲 NAD 27				
2 WATER WELL OWNER: CB Schowalter RR#, Street Address, Box #: 8803 E Arlington Rd				Collection Method:				
City, State, ZIP Code : Haven, KS 67543				Digital Map/Photo, Topographic Map, Land Survey				
			Est.	Accuracy: $\Box <$	3 m, 🗌 3-5 m, [	] 5-15 m,	□ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	120		0				
SECTION BOX: Depth(s) Ground	water Encountered (	1) 24	 fi	·····π.	£	(3)	Ĥ	
N WELL'S STAT	Water Encountered ( C WATER LEVEL24		t. below	$\sqrt{2}$ land surface n	neasured on mo/	(3) dav/vr <del>34</del>	<b>2</b> - 1 - 1	
Pump	test data: Well water	was		ft. after	hours pun	nping		
EST. YIELD.80	0gpm. Well water v	was	t	ft. after	hours pur	nping		
	eter 30in. to .12	20	ft., and	in.	to			
	TO BE USED AS:					Injection		
SWSE Domestic	Feedlot Oi   Industrial Description			oly 🗌 De		Other (Sp	ecify below)	
	bacteriological sample s	ubmitted	wii & g o Dena	rtment?	$V_{es}$ $\nabla$ No	•••••		
	day/yr sample was subm							
Water well disin	fected? 🔽 Yes 📋 N	0						
TYPE OF CASING USED: 🗌 Steel	PVC Ot	her			a			
CASING JOINTS: 🗹 Glued 🗍 Clan	nped 🗌 Welded 🗌	] Threade	d					
Casing diameter .16 in. to .80	ft., Diameter	in	to	ft., Di	ameter	in. to	ft.	
Casing height above land surface!2	in., Weight	16	lbs./	ft., Wall thic	kness or gauge N	No. Sch4	łQ	
TYPE OF SCREEN OR PERFORATION	MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	PVC	ي ل	Other	(Specify)	••••••	•••••		
SCREEN OR PERFORATION OPENING	S ARE:	-)						
🗌 Continuous slot 🛛 🔲 Mill slot	Gauze wrapped	Torch cut	$\square D_1$	rilled holes	🗌 None (open ho	le)		
Louvered shutter Key punched	☐ Wire wrapped ☑	Saw cut	🗌 Ot	her (specify)	• •	,		
SCREEN-PERFORATED INTERVALS:	Fromov	to120.	•••••	ft., From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From ft.	to	•••••	π., From	Ħ.	to	ft.	
	From ft.	to <del>.</del> .	•••••	ft From	በ. ቶ	to	11. A	
GROUT MATERIAL:	nt Cement grout	7 Bento	nite	Other				
From .3 ft. to			ft. to	ft.,	From	ft. to	ft.	
What is the nearest source of possible conta	mination:							
Septic tank Lateral line Cesspool	pens							
☐ Watertight sewer lines ☐ Seepage p	Sewage lagoon	Fuel stora Fertilizer		Oil well/gas		e open fie	əld	
Direction from well							·····	
ROM TO LITHOLOG		FROM	TO		G (cont.) or PLU		INTERVALS	
17 Clay	1	100	105	Tan Clay				
7 31 Fine to Medium Sand to	small Gravel	105	110	Sandy Clay				
w/clay Streaks		110	115	Fine to Med	lium Sand			
1 43 Clay	1	115	120	Coarse San				
3 50 Sandy Clay 0 55 Medium Sand w/Clay				·	<u>.</u>			
0       55       Medium Sand w/Clay         5       58       Fine to Medium Sand to	Small to			<u> </u>			a	
Medium Gravel								
8 78 Clay		- 1						
8 100 Fine to Medium Sand				· · · · · · · · · · · · · · · · · · ·				
<b>CONTRACTOR'S OR LANDOWNER</b>	'S CERTIFICATION:	 This wat	er well	was 🔽 constru	cted Treconstr	ncted or l		
inder my jurisdiction and was completed on	(mo/day/year) 3/2/11	67-( <i>C</i> a	nd this r	ecord is true to	the best of my l	knowledge	and belief	
ansas Water Well Contractor's License No.		ter Well R	ecord v	vas completed a	m (mo/day/year	3/14/11		
	m and Mall Oraclar I.	~	1	in the P	the A al			
nder the business name of Premier Pur	p and well Service, Ir	<u></u>	<u>. by</u> (:	signature) <b>j</b> .	$\alpha \times \alpha \wedge \gamma \rightarrow \alpha \times \gamma $	<u>e</u> r~		
inder the business name of	PLEASE PRESS FIRMLY an	d PRINT ch	arly Ple	ase fill in blanks	and check the correct	t oneuvora	Send three copies	
nder the business name of Premier Purr	PLEASE PRESS FIRMLY and Ind Environment, Bureau of V	nd <u>PRINT</u> cl Water Geol	arly. Ple	ease fill in blanks and 1000 SW Jack	and check the correct	t answers.	neoc 66612 126	