

WATER WELL RI		77 VV C-3	007000	DIVI	sion of Water		W 11 ID		
		e in Well Use			urces App. No.		Well ID	NY 1	
1 LOCATION OF WA	Fraction	17		tion Number	Township Numb		ige Number		
County:	1/4 1/4 First:		1/4 D	.1 ^ 4 4	T S	R	□ E □ W		
2 WELL OWNER: La Business:		Street or Rural Address where well is located (if unknown, distance and							
Address:	direction from nearest town or intersection): If at owner's address, check here:							meck nere:	
Address:									
City:	State:	ZIP:			_				
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:					5 Lotitud	0.		(daaimal daamaa)	
WITH "X" IN									
SECTION BOX:  Depth(s) Groundwater Encountered: 1)									
N	WELL'S STATIC WATER LEVEL:								
	□ below land surface, measured on (mo-day-yr				GPS (unit make/model:)				
NW NE					(WAAS enabled? \( \subseteq \text{ Yes} \( \subseteq \text{ No)} \)				
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map				
WX E	after hours			Online Mapper:					
SW SE	Well w								
	after hours	gpm	6 Elevation:ft. ☐ Ground Level ☐ TOC						
S	Estimated Yield: Bore Hole Diameter:	ft .	nd						
S    mile			ına	Other					
1 mile  in. to ft. Uniter									
7 WELL WATER TO BE USED AS:   1. Domestic:   5. □ Public Water Supply: well ID									
☐ Household	6. Dewatering: how many wells?								
Lawn & Garden	7. ☐ Aquifer Re								
Livestock		g: well ID				mal: how many bore			
2. ☐ Irrigation	9. Environmenta								
3. ☐ Feedlot					b) Open Loop ☐ Surface Discharge ☐ Inj. of Water				
4. ☐ Industrial	☐ Recovery	☐ Injectio	n		13. 🗌 Othe	r (specify):			
Was a chemical/bacteriological sample submitted to KDHE?   Yes No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE OF CASING USED:  Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in. to ft., Diameter ft., Diameter ft.									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Septic Tank	Lateral Line	s 🔲 Pit Pri	vv		Livestock Pens	☐ Insecti	cide Storage		
☐ Sewer Lines	Cess Pool	☐ Sewag			Fuel Storage		oned Water		
☐ Watertight Sewer Line		☐ Feedya	ard	☐ I	Fertilizer Stora	ge 🔲 Oil We	ell/Gas Well		
Other (Specify)									
Direction from well?									
10 FROM TO	LITHOLOG	GIC LOG	F	ROM	TO L	THO. LOG (cont.) o	r PLUGGIN	G INTERVALS	
				-					
<del>                                     </del>				+					
<del>                                     </del>				+					
			NT.	atec.					
Notes:									
11 CONTRACTOR'S	OR LANDOWNER'S	CERTIFICAT	ION: TI	nis water	well was □	constructed. 🗆 rece	onstructed	or nlugged	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,   reconstructed, or   plugged under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Cont	tractor's License No	This	s Water V	Vell Reco	ord was comp	leted on (mo-day-y	ear)		
under the business name	of								
under the business name of  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  WE Department of Health and Environment Purpose of Water Coolings Section 1000 SW Isoland St. Svite 420. Toroke Various 66612, 1267. Talanhan 785, 206, 2565.									
No Department of Health ar	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html