



USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Reno	Fraction SW/4 SW/4 SW/4	Section number 1	Township number T 24 S R 6	Range number 6
2. Distance and direction from nearest town or city: 2 mi S of Street address of well location if in city: Hutch, KS			3. Owner of well: Bob Morrison R.R. or street: Box 2 City, state, zip code: Hutchinson, KS 67501			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 10 in. Completion date 9-14-79 Well depth 62 ft.		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From		To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Dark Br Silt		0		9		9. Casing: Material P/S Height: above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 3.58 lbs./ft. Dia. 6 in. to 62 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1280
Redish Br Silty Clay		9		18		10. Screen: Manufacturer's name Pumpco Type PVC Dia. 6" Slot gauze 1030 Length 14' Set between 48 ft. and 62 ft. ft. and <input type="checkbox"/> ft.
C Sand		18		41		Gravel pack? <input checked="" type="checkbox"/> Size range of material F-1/2
Br Clay		41		43		11. Static water level: <input type="checkbox"/> mo./day/yr. 28 ft. below land surface Date 9-14-79
F-C sand		43		62		12. Pumping level below land surfaces: 31 ft. after 2 hrs. pumping 20 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 40 g.p.m.
Gr Clay		62		64		13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>
						14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> inches above grade
						15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.
						16. Nearest source of possible contamination: ft. 75 Direction NW Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Valley Model number 51208 HP 1/2 Volt 230 Length of drop pipe 35 ft. capacity 12 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well 382 Business name Hutch, KS License No. 1/4 1/4 1/4 Address Hutch, KS Signed Egon Miller Date 2-4-80 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5