| | | | | | | | O(C) | |
|---|---------------------------------|---|---------------------------|----------------|-----|---|---|--------------------------|
| E TYPEWRITER OR DINT PEN-PRESS FI | | | | | | | | |
| NT CLEARLY. |] | | WELL RECOF 2a-1201-121 | | | En (W | nsas Department of Heal vironment-Division of En ater well Contractors) peka, Kansas 66620 | |
| | County | ty Fraction | | Section number | | Township number | Range number | |
| Location of well: | Popo | NW 1/4 NINT/4 S | NW 1/4 NW1/4 SW 1/4 | | 7 | 1 24 | SR G | E |
| Distance and dire | tion from nearest town or city: | | 3. Owr | ner of well | Ora | Nisly | | |
| reet address of well | l location if in city: | 13/4/8 | R.R. or | street: R | R 1 | · | (850) | |
| 4. Locate with "X" in section below: Sketch map: N | | | | | Hu | 6. Bore hole dia. <u>28</u> Well depth <u>86</u> | s 67501 n. Completion date 7 | 710775 |
| NW | 1 1 NE | | | | | 7 Cable tool Rota Hollow rod Jette 8. Use: Domestic | d Bored XX Rever | |
| w 1 1 1 - SW | E I I SE | | | | - | XX Irrigation | Air conditioning Sta Oil field water Ot | ock her |
| s i | | | | | | Threaded Welded RMP PVC | ISurfaceI 2 IWeightS () | inlbs./ft. |
| . Type and color of | | | | From | То | Dia to ft. d Dia in. to ft. d | epth gage No. | ches or |
| | Soil | | | 0 | 2 | 10. Screen: Manufacturer | Dia. | |
| | Clay | · | | 2 | 11 | Slot/gauze <u>3/110</u> Set between <u>6</u> | Length4 ft. and | ft. |
| | Sand | | | 11 | 17 | Gravel pack? <u>Ves</u> Size | and range of material_1/8 | ft. |
| | Clay | | | 17 | 20 | 11. Static water level: | m/201 | /day/yr. 75 |
| | Clay ar | d sand mixed | | 20 | 30 | | hrs. pumping |) g.p.m. .g.p.m. |
| ····· | Sand | | | 30 | 57 | Estimated maximum yield - | Anrs. pumping | _g.p.m. |
| | Clay ar | nd sand mixed | | 57 | 60 | 13. Water sample submitted | l: mo. Date | /day/yr. |
| | Sand ar | d gravel | | 60 | 85 | 14. Well head completion: Pitless adapter | 12 Inches above | arade |
| | Shale | | | 85 | 86 | 15. Well grouted? | | Concrete |
| | | | | | | Depth: From ft. t | • () ft. | |
| • | | | | | | ft Direction Well disinfected upon comp | Type | No |
| | | 60101 | 1121314 | | | 17. Pump: Manufacturer's name Wes | tern Land Ro | ller |
| | | 60 | aTE O | | | Model number 20 | HP Vol | т <u>я 741</u> д.р.т. |
| | | 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | Gielenon | C018 | | Type: Submersible Jet | X Turbine | cating |
| 8. Elevation: | (Use a se 19. Remarks: | cond sheet if needed) WAND | ITY Scalle | | | Centrifugal 20. Water well contractor | Other | |
| 15.79 59191 | | | | | | This well was drilled under is true to the best of my kn | my jurisdiction and this | report |
| opography: Hill | | ([P(C)) | | | | Darling Drill Business name | ing Co. 18 | ense No. |
| Upland Valley | | | | | | Address LI Wolfer | epresentative | 7-10-76 |
| Valley | | tment of Health and Environment | | | | | Form WW | |

2 De

1