Tan clay with sand streaks 100 108 14. Well head completion: Pitless adapter 42 Inches above grade	USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY. KSA 82a-1201-12						Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620		
4. Locate with "X" in section below: N N N N N N N N N N	County	Fraction	Fraction 5W 1/4		number	Township number			
4. Locate with "X" in section below: N N N N N N N N N N	Reno	512 1/4 1/4 NK							
4. Locate with "X" in section below: N N N N N N N N N N	Distance and direction from negrest town or	STY D South Hutchinson	3. Ow						
4. Locate with "X" in section below: N N N N N N N N N N	treet address of well location if in city:		R.R. or			outh Hutchi	nson, Kansa	s	
Well No. 3 (TH 3-78) Well No. 3 (TH 3-78) Veller od_state Veller od_state Source Veller od_state Source	4. Locate with "X" in section below:		City, s	tate, zip (code:	6. Bore hole dia. <u>30</u> Wall donth 136	in. Completion date		
Weilt No. 3 (TH 3-78) Weilt No. 3 (TH 3-78) Weilt No. 3 (TH 3-78) Weilt Constrained Structure Statistics provide the set of the s									
w i	★ - NW NE								
	$W_{e11} = W_{e11} = W_{e$							· 1	
1 1 1 1 1 1 1 1	[ī] ·] i]								
s pvc wight 62.5 g. pr. s. Type and color of material From To S. Type and color of material From To Soil 0 3 Tan clay 3 16 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 46 58 Tan clay 58 82 10. streme fine tool: mg./dg/gr/gr Tan clay 58 82 10. streme fine tool: mg./dg/gr/gr Tan clay 58 82 10. streme fine tool: mg./dg/gr/gr Tan clay 58 82 100 13. Wate coaple ubmitted: mg./dg/gr./gr Tan clay 58 82 100 13. Wate coaple ubmitted: mg./dg/gr./gr Tan clay 58 100 10. Wate coaple ubmitted: mg./dg/gr./gr Ys Tan clay 136	SW SE								
image:								in. _lbs./ft.	
Soil 0 3 Bouldstore : one Bouldstore : one Tan clay 3 16 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 16 30 Tan clay 30 46 Tan clay 30 46 Tan clay 30 46 Tan clay 30 46 Fine to coarse sand 16 30 Tan clay 58 12. Program level klow Lost works coarse mo./dov/yr. Fine to coarse sand 46 58 12. Program level klow Lost works coarse mo./dov/yr. Tan clay 58 82 100 108 14. Well ked completion: mo./dov/yr. Fine to coarse sand 100 108 14. Well ked completion: mo./dov/yr. Yes No Date 14. Well ked completion: Mo./dov/yr. Yes No Date Tan clay 136 108 136 15. Well gouldet: 16. Neart work of bould ked completion: Mo./dov/yr. Tan clay 136 108 136						Dia 16 in 1014 ft	. depth Wall Thickness: in	ches or	
Soill O J Dowler 1. Inc. Tan clay 3 16 Stormer 1. Inc. Fine to coarse sand 16 30 Graves reget of metricity fit. Tan clay 30 46 30 Graves reget of metricity fit. Tan clay 30 46 30 Graves reget of metricity fit. Tan clay 30 46 58 Fit. store reget reget of metricity fit. Fine to coarse sand 46 58 12. Proping level slew reget reget of metricity fit. mo./day/gr. Tan clay 58 82 fit. store Dist. pumping GSD g.p.m. Fit. store Dist. pumping GSD g.p.m. Tan clay 58 82 100 108 Weil Med completion: mo./day/gr. Tan clay with sand streaks 100 108 14. Weil Med completion: mo./day/gr. Tan clay 136 Directon All good fit. Mo. Date Fine to coarse sand 108 136 New Wild good fit. Mo. Correte Fine to coarse sand 108 136 New Wild good fit. Mo. Date Tan clay 136 Directon All fit. Woil Med Net	. Type and color of material			From	То		-	÷	
Tan clay 3 16 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 16 30 Tan clay 30 46 Fine to coarse sand 46 58 Tan clay 58 82 Fine to coarse sand 46 58 Tan clay 58 82 Fine to coarse sand 82 100 Tan clay 58 82 Fine to coarse sand 82 100 Tan clay with sand streaks 100 108 Fine to coarse sand 108 108 Tan clay 136 108 136 Fine to coarse sand 100 108 14. Well bed completion: Fine to coarse sand 108 136 15. Well gould? Fine to coarse sand 108 136 15. Well gould? 16. Noreet socre of possible containetion: Fine to coarse sand 108 136 15. Well gould?	Boil			0	Bowler, Inc.				
Fine to coarse sand 16 30 fr. and				-	16	Slot/game_105	Length25		
Tan clay 30 46 11. Spic weter level: mo./dot/n. Fine to coarse sand 46 58 12. fmping level below land surfaces: 12. fmping level below land surfaces: Tan clay 58 82 12. fmping level below land surfaces: 12. fmping level below land surfaces: Tan clay 58 82 10. fmping level below land surfaces: 11. Spic weter level: mo./dot/n. Tan clay 58 82 100 13. Water sample submitted: mo./dot/n. Tan clay with sand streaks 100 108 136 Yes No Date Fine to coarse sand 108 136 Yes No Date 13. Water sample submitted: mo./dot/n. Tan clay 136 Use of the optic from				16	30		.ft. and		
Fine to coarse sand 46 58 Tan clay 58 82 ft. ofter hr. pumping 52 9.p.m. Fine to coarse sand 82 100 13. Water somple solutions yield 1000 9.p.m. Fine to coarse sand 82 100 13. Water somple solutions yield mo./dog/yr. Tan clay with sand streaks 100 108 14. Well head completion: mo./dog/yr. Fine to coarse sand 108 136 Date 15. Well boot completion: Pitters doperer Fine to coarse sand 108 136 15. Well boot completion: Pitters doperer 42 Inches dove grade Fine to coarse sand 108 136 15. Well boot completion: Pitters doperer 42 Inches dove grade Tan clay 136 Date Bestonite Concrete 20 ft. 15. Nearest source of possible contamination: K Concrete With: Near chained down under Not installed Not installed Not installed Well head conceptation? Yes Not Not installed Not installed Not installed Well he						11. Static water level:	mo.		
Tan clay 58 82 f. ofterh.s. pumping 22 g.p.m. Fine to coarse sand 82 100 13. Water sample submitted: mo./doy/yr. Tan clay with sand streaks 100 108 13. Water sample submitted: mo./doy/yr. Tan clay with sand streaks 100 108 13. Water sample submitted: mo./doy/yr. Tan clay with sand streaks 100 108 13. Water sample submitted: mo./doy/yr. Tan clay 108 136 15. Well grouted? ### Tan clay 136 108 136 Tan clay 136 15. Well grouted? ### Konorete Well disinfected upon completion:						12. Pumping level below	land surfaces:		
Fine to coarse sand 82 100 13. Wate sample submitted: mo./dov/yr. Tan clay with sand streaks 100 108 14. Well head completion: Fine to coarse sand 108 136 Tan clay 136 15. Well grouted? Prine to coarse sand 108 136 Tan clay 136 15. Well grouted? Prine to coarse sand 108 136 Tan clay 136 Depth: From				58	82	ft. after	hrs. pumping	g.p.m.	
Tan clay with sand streaks 100 108 14. Well head completion:	Fine to coarse sand			82	100	13. Water sample submit	ted: mo.		
Fine to coarse sand 108 136 15. Well grouted? ### Tan clay 136 Depth: From	an clay with sand	streaks		100	108		on:		
Tan clay 136 With:Net centBentoniteConcrete Depth: Fromft. toft. Depth: Fromft. toft. Depth: Fromft. toft. Depth: Fromft. Well disinfected upon completion? YesNot installed Monufacturer's nome	Fine to coarse sand			108	136			grade	ĸ
16. Nearest source of possible contamination: 16. Nearest source of possible contamination: 17. Pump: Well disinfected upon completion? Yes Notinstalled Manufacturer's name Manufacturer's name Length of drop pipe Length of drop pipe Use a second sheet if needed) 18. Elevation: 19. Remarks: Topography: Hill Slope Xupland Valley	Tan clay			136		With: Neat cement	Bentonite _X	Concrete _	ן י י
ft. 2000 Direction NE Type Type Well disinfected upon completion? X Yes No 17. Pump:				1					t
17. Pump: Not installed Manufacturer's name Manufacturer's name Model number HP Length of drop pipe ZO ft. capacity Type:						ft. 2000 Direction	NE Type		
Manufacturer's name Manufacturer's name<						17. Pump:	Not installed		
Length of drop pipe Length of drop pipe<						Manufacturer's name 🖌	ayne & Bowler	<u> </u>	`۲
Image: Submersible Image: Su							HP Vol 20 ft. capacity 70	rs 200	
(Use a second sheet if needed)						Туре:			1
(Use a second sheet if needed) Centrifugal Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.									
Topography: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	(Use	a second sheet if needed)						, š	ן ה
Topography: is true to the best of my knowledge and belief.	B. Elevation: 19. Remarks:					1		report	-
Hill							knowledge and belief.		. (
Slope Upland Valley Valley Address Withoutor, Kansas Signed Address	,								:
Valley Signed Authorized representative Date	Slope								:[
	·					SignedAuthorized	d representative	// /// /	
		Department of Health and Environment					·	▲ C5	