


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: X	County Reno	Fraction NW 1/4 SE 1/4 SE 1/4	Section number 12	Township number T 24s	Range number S R 6W E/W																																	
2. Distance and direction from nearest town or city: Street address of well location in city: 1 1/2 EAST. ELMER			3. Owner of well: Yoder Brothers R.R. or street: % William Yoder City, state, zip code: Yoder, Kansas 67585																																			
4. Locate with "X" in section below: 			Sketch map: 6. Bore hole dia. 26 in. Completion date 6/14/77 Well depth 154 ft.																																			
<table border="1"><thead><tr><th>5. Type and color of material</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>Brown clay</td><td>0</td><td>10</td></tr><tr><td>Med. gravel</td><td>10</td><td>20</td></tr><tr><td>Sandy clay</td><td>20</td><td>25</td></tr><tr><td>Clay</td><td>25</td><td>30</td></tr><tr><td>Sandy clay</td><td>30</td><td>40</td></tr><tr><td>Sand, little clay</td><td>40</td><td>50</td></tr><tr><td>Sand & clay</td><td>50</td><td>65</td></tr><tr><td>Sand, little clay</td><td>65</td><td>100</td></tr><tr><td>Fine sand</td><td>100</td><td>110</td></tr><tr><td>Med. sand</td><td>110</td><td>150</td></tr></tbody></table>			5. Type and color of material	From	To	Brown clay	0	10	Med. gravel	10	20	Sandy clay	20	25	Clay	25	30	Sandy clay	30	40	Sand, little clay	40	50	Sand & clay	50	65	Sand, little clay	65	100	Fine sand	100	110	Med. sand	110	150	7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
			5. Type and color of material	From	To																																	
			Brown clay	0	10																																	
			Med. gravel	10	20																																	
			Sandy clay	20	25																																	
			Clay	25	30																																	
			Sandy clay	30	40																																	
			Sand, little clay	40	50																																	
			Sand & clay	50	65																																	
			Sand, little clay	65	100																																	
Fine sand	100	110																																				
Med. sand	110	150																																				
8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other <input type="checkbox"/>																																						
9. Casing: Material Transite Height. Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input checked="" type="checkbox"/> 8 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 30 lbs./ft. Dia. 16 in. to 115 ft. depth Wall Thickness: inches or Dia. in. to ft. depth Gauge No. 242634																																						
10. Screen: Manufacturer's name Johnson Type sawed Dia. 3/16 Slot/gauze 3/16 Length 154 Set between 115 ft. and 154 ft. Gravel pack? yes Size range of material 1/8-1/4																																						
11. Static water level: 28 ft. below land surface Date 6/14/77																																						
12. Pumping level below land surfaces: 33 ft. after 1 hrs. pumping 900 g.p.m. 48 ft. after 1 1/2 hrs. pumping 1400 g.p.m. Estimated maximum yield 1800 g.p.m.																																						
13. Water sample submitted: yes mo./day/yr. 8 Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 6/14/77																																						
14. Well head completion: 8 inches above grade Pitless adapter <input type="checkbox"/>																																						
15. Well grouted? yes With: Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Depth: From 0 ft. to 10 ft.																																						
16. Nearest source of possible contamination: ft. Direction NE Type well Well disinfected upon completion? yes Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																																						
17. Pump: Not installed Manufacturer's name Western Land Roller Model number 5-12-CAA HP 12 Volts 240 Length of drop pipe 60 ft. capacity 800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																						
(Use a second sheet if needed)																																						
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Darling Drilling Co/ 189 Business name License No. 1211 W. 4th Hutchinson, KS Address Donald J. Decker Date 6/14/77 Signed Donald J. Decker Authorized representative																																			