		14/47	LED MELT	DECORD	Form 14	MIC.E KO	A 80- 1	212		1	クト	
1 LOCATION OF W	ATER WELL:	Fraction		RECORD	Form W	Section Nu	A 82a-1 Imber	Township	Number	T P	lange Nun	nber
	Reno		1/4 SW	1/4	NE 1/4			T 24	S	R	6	E/W
Distance and direction	on from nearest to	own or city street	address o	of well if locat	ted within	city?						
31 mile So	uth of Sout	h Hutchins	on, KS	West s	ide.		- "	_				
WATER WELL C	WNER:	Empire Un	dergro	und Stor	age In	c. We.	11#	2				
RR#, St. Address, E		RFD 2	_					Board of	Agriculture	Division	of Water	Resource
City, State, ZIP Cod		Hutchinso	n. KS	67501					on Number:			
LOCATE WELL'S	LOCATION WITH				40		T EVAT	ON: 12)			
AN "X" IN SECTI	ON BOX:	Depth(s) Grou										
<u> </u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ 	WELL'S STAT										81 π.
1 i	1 1	Pu	mn teet da	ta: Well wa	tor was	Y70 20	ft afte	er 1	houre r	umnina	70	anm
NW	- NE	Est. Yield										
' !												
<u> </u>	╅╌╌┥╒	Bore Hole Dia										π.
<u> </u>	1 ! !	WELL WATER				water supply	-	Air conditionin	•	1 Injection		
1 sw -	- SE I	1 Domesti		Feedlot			-	Dewatering				-
		2 Irrigation		Industrial				Observation v				
<u> </u>		Was a chemica	al/bacteriol	ogical sample	submitte	d to Departme	nt? Yes	No	💢; If ye	s, mo/day	//yr sample	e was sub
	S	mitted					Wate	r Well Disinfect	ted? Yes		No XX	
TYPE OF BLANK	CASING USED:		5 Wro	ught iron	8 (Concrete tile		CASING JO	DINTS: Glu	ed	. Clamped	1
1 Steel	3 RMP (SR)	6 Asbe	estos-Cement	9 (Other (specify	below)		Wel	ded		
2 PVC	4 ABS		7 Fibe						Thre	eaded	XX	
Blank casing diamet	er	in. to 1	O ft	Dia		in. to		ft Dia		. in. to .		ft.
Casing height above	land surface	18	in wei	aht		8	lbs /ft	Wall thickness	or gauge	No.	POR	4 11
TYPE OF SCREEN				9		7 PVC	. 100.710		bestos-cen			
1 Steel	3 Stainles		5 Fibe	ralace		8 RMP (SR)			ther (specify			
2 Brass		ized steel		crete tile		9 ABS						
SCREEN OR PERF			6 CON						one used (d		•	h -1-1
		5 Gauzed wrapped 6 Wire wrapped				8 Saw cut			11 190	ne (open	noie)	
1 Continuous s		Mill slot						9 Drilled holes				
2 Louvered sh		Key punched	^	7 Tord		^		0 Other (speci				
SCREEN-PERFORA	TED INTERVALS											
								· · · · · · · · · · · · ·				
GRAVEL F	ACK INTERVALS	S: From	10	ft. to .						to		ft.
		From		ft. to		f	t., From		ft.	to		ft.
GROUT MATERIA						Bentonite		ther				
Grout Intervals: Fi	om0	ft. to	.O ft.,	From		. ft. to		ft., From .	.	ft. to		ft.
What is the nearest	source of possible	e contamination:				10	Livesto	ck pens	14	Abandon	ed water v	vell
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines	5 Ces	s pool	8 Sewage lagoor			12	Fertilize	er storage	Other (sp	ther (specify below)		
3 Watertight se	wer lines 6 See	page pit		9 Feedyard		13	Insectio	ide storage	Stor	age Ho	ole	
Direction from well?	West			-		Ho	w manv	feet? 300				
FROM TO	1	LITHOLOGIC	C LOG		FRO				LITHOLO	GIC LOG	i	
0 3	Top soil											
3 14	Clay											
14 35	Medium sa	and										
	Clay							•				
35 40	OTER											
	+				+							
	1											
	1											
Z CONTRACTOR	00 4410 01411	DIO 000000000000000000000000000000000000	TION::									
CONTRACTOR'S	OR LANDOWNE											
completed on (mo/da	· · · · •		• • • • • • •			and thi	s record	is true to the b	est of my k	nowledge	and belie	f. Kansas
Water Well Contracto	-				Well Reco							
under the business r		encrantz-Be						e) Dian				
NSTRUCTIONS: Us	e typewriter or ball	point pen, PLEA	SE PRES	S FIRMLY a	nd <u>PRINT</u>	clearly. Pleas	e fill in b	olanks, underlin	e or circle t	ne correct	t answers.	Send top
hree copies to Kansa	is Department of H	ealth and Enviror	nment, Divi	ision of Enviro	nment, Er	nvironmental (deology	Section, Topek	a, KS 66620). Send or	ne to WAT	=R WELL