


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Reno	Fraction NE 1/4 SE 1/4 NE 1/4	Section number 14	Township number T 24 S R 6 E	Range number 6 E
2. Distance and direction from nearest town or city: 3 1/2 M. S of Hutchinson, KS		3. Owner of well: Jim Hephner R.R. or street: RT 2 City, state, zip code: Hutchinson, KS.			
4. Locate with "X" in section below: 		Sketch map:		6. Bore hole dia. 10 in. Completion date 5-1-76 Well depth 40 ft.	
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material PLST Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.95 lbs./ft. Dia. 6 in. to 40 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gauge No. 200	
5. Type and color of material		From	To	10. Screen: Manufacturer's name JTB Type RMP Dia. 6" Slot gauge 3/32" Length 10' Set between 30 ft. and 40 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material F-5"	
Top soil		0	3	11. Static water level: <input type="checkbox"/> mo./day/yr. 21 ft. below land surface Date 5-1-76	
clay gray		3	16	12. Pumping level below land surfaces: 23 ft. after 1 hrs. pumping 20 g.p.m. 23 ft. after 3 hrs. pumping 20 g.p.m. Estimated maximum yield 40 g.p.m.	
Sand + gravel yellow		16	40	13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date 5-2-76	
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade	
				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 13 ft.	
				16. Nearest source of possible contamination: ft. 100 Direction N Type Sewer Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: Not installed Manufacturer's name Valley steel Model number S1208 HP 1/2 Volts 230 Length of drop pipe 30 ft. capacity 12 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well Serv. 137 Business name Hutchinson, KS. License No. Address 900 mill Date 6-16-76 Signed Joe Miller Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

24
-6E
L4
NE
SE
NE
1/4
1/4
1/4