


1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County: Reno		NW 1/4 NE 1/4 NW 1/4	14	T 24 S	R 6W E/W
Distance and direction from nearest town or city? 1 East Elmer, 1/8 South			Street address of well if located within city?		
2 WATER WELL OWNER:		Amoco Oil Co.			
RR#, St. Address, Box # :		RFD 2			
City, State, ZIP Code :		Hutchinson, KS 67501 # 13			
3 DEPTH OF COMPLETED WELL		Board of Agriculture, Division of Water Resources Application Number:			
40 ft. Bore Hole Diameter		6 in. to 40 ft. and in. to ft.			
Well Water to be used as:		5 Public water supply 8 Air conditioning 11 Injection well			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		2 Irrigation 4 Industrial 7 Lawn and garden only XX Observation well			
Well's static water level		16 1/2 ft. below land surface measured on 10 month 1 day 1980			
Pump Test Data		Well water was 82 ft. after 1 hours pumping 80 gpm			
Est. Yield 80 gpm		Well water was ft. after hours pumping gpm			
4 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped			
XX Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		2 PVC 4 ABS 7 Fiberglass Threaded X			
Blank casing dia 4 in. to 0 ft. Dia 4 in. to 10 ft. Dia in. to ft.		Casing height above land surface 24 in. weight 2 lbs./ft. Wall thickness or gauge No 216			
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
Screen or Perforation Openings Are:		5 Gauzed wrapped XX Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
Screen-Perforation Dia 4 in. to 10 ft. Dia 4 in. to 40 ft. Dia in. to ft.		Screen-Perforated Intervals: From 10 ft. to 40 ft. From ft. to ft. From ft. to ft.			
Gravel Pack Intervals: From ft. to ft. From ft. to ft. From ft. to ft.		5 GROUT MATERIAL: 1 Neat cement XX Cement grout 3 Bentonite 4 Other			
Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.		What is the nearest source of possible contamination:			
1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fuel storage 14 Abandoned water well		2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well			
3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below)		Direction from well North How many feet 200 ? Water Well Disinfected? Yes No X			
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year Pump Installed? Yes No X		If Yes: Pump Manufacturer's name Model No. HP Volts			
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.		Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other			
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 10 month 1 day 1980					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134					
This Water Well Record was completed on 10 month 6 day 1980 year under the business name of Rosencrantz-Bemis by (signature) Mike Rowles					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		LITHOLOGIC LOG			
		FROM TO LITHOLOGIC LOG			
		0 3 XXXXXX Top Soil			
		3 9 White Clay			
		9 22 Medium Sand			
		22 24 Clay			
		24 40 Sand			
ELEVATION:					
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)					
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

24

R

6W

EW

SEC.

14

NW 1/4 NE 1/4 NW 1/4