


1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number			
County: RENO		NW 1/4 SE 1/4 NW 1/4	18	T 24 S	R 6 E/W			
Distance and direction from nearest town or city? 3 1/2 E Partridge 1/4 Sec in field			Street address of well if located within city?					
2 WATER WELL OWNER: David Miller								
RR#, St. Address, Box #: RFD 1								
City, State, ZIP Code: Hutchinson, KS 67501								
Board of Agriculture, Division of Water Resources Application Number:								
3 DEPTH OF COMPLETED WELL: 60 ft. Bore Hole Diameter: 1 1/2 in. to 60 ft., and 60 in. to 60 ft.								
Well Water to be used as:								
1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well								
2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
Well's static water level: 18 ft. below land surface measured on 10 month 4 day 1980 year								
Pump Test Data: Well water was 39 ft. after 1 hour pumping 500 gpm								
Est. Yield 550 gpm: Well water was 50 ft. after 2 hours pumping 700 gpm								
4 TYPE OF BLANK CASING USED:								
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped								
2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded								
Blank casing dia: 1 1/2 in. to 0 ft. Dia: 1 1/2 in. to 34 ft. Dia: 34 in. to 60 ft.								
Casing height above land surface: 12 in. weight 50 lbs./ft. Wall thickness or gauge No: 3/4								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement								
2 Brass 4 Galvanized steel 7 Concrete tile 9 ABS 11 Other (specify)								
Screen or Perforation Openings Are:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes								
7 Torch cut 10 Other (specify)								
Screen-Perforation Dia: 1 1/2 in. to 34 ft. Dia: 1 1/2 in. to 40 ft. Dia: 40 in. to 60 ft.								
Screen-Perforated Intervals: From 34 ft. to 60 ft. From 60 ft. to 60 ft. From 60 ft. to 60 ft.								
Gravel Pack Intervals: From 10 ft. to 60 ft. From 60 ft. to 60 ft. From 60 ft. to 60 ft.								
5 GROUT MATERIAL:								
1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grouted Intervals: From 0 ft. to 10 ft. From 10 ft. to 60 ft. From 60 ft. to 60 ft.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well								
2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well								
3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)								
Direction from well: None How many feet: None Water Well Disinfected? Yes X No X								
Was a chemical/bacteriological sample submitted to Department? Yes X No X If yes, date sample was submitted: None month None day None year: Pump Installed? Yes X No X								
If Yes: Pump Manufacturer's name: None Model No.: None HP: None Volts: None								
Depth of Pump Intake: None ft. Pumps Capacity rated at: None gal./min.								
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other								
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on March month 4 day 1980 year								
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 00 134								
This Water Well Record was completed on May month 19 day 1980 year under the business name of Rosencrantz Bemis Ent. Inc. by (signature) Mike Flowers								
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG	
		0	5	Brown clay				
		5	10	Brown clay to light brown sandy clay				
		10	15	Fine sand & little clay				
		15	25	Med. to fine sand				
		25	30	Fine sand & clay				
		30	35	Med. sand & clay				
		35	40	Medium sand				
		40	45	Medium sand & clay				
		45	55	Brown sandy clay				
		55	57	Dard brown sandy clay to shale				
ELEVATION:								
Depth(s) Groundwater Encountered		1. ft. 2. ft. 3. ft. 4. ft.				(Use a second sheet if needed)		
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.								