	WATE	R WELL RECORD FOR	orm WW	C-5 KSA 82a	-1212		
LOCATION OF WATER WELL:	Fraction			Section Number	Township Number	Range Number	
County: Reno	NE 1/4		1/4	16	T 24 S	R 7 EW	
Distance and direction from nearest to 31 N. Main, Partridge			d within c	ity?		0	
WATER WELL OWNER: Farmers							
Farmers R#, St. Address, Box # : P.O. Box	Cooperative Elevate	or			Poord of Agriculture	Division of Water Pescurees	
ity, State, ZIP Code Nickerso	e Nickerson, KS 67561				Board of Agriculture, Division of Water Resources Application Number:		
UCCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N N N N N N N N N N N N N	Depth(s) Ground WELL'S STATIO Pump Est. Yield Na Bore Hole Diame	dwater Encountered 1. WATER LEVEL to test data: Well water water water	was	ft. below land sund sund sund sund sund sund sund su	2	ft. 3	
SW SE	2 Irrigation				Monitoring well		
S		Vbacteriological sample	submitte	d to Department	? YesNo; I'tter Well Disinfectea? Y	f yes, mo/day/yr samole was	
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING JOINTS:	Glued Clamped	
1 Steel 3 RMP (S	SR)	6 Asbestos-Cement	9 Oth	er (specify belo	w)	Welded	
2 PVC 4 ABS		7 Fiberglass				Threaded. 🗸	
lank casing diameter 2	in. to 2	0 ft., Dia	ir	n. to	ft., Dia	in. to	
asing height above land surface							
YPE OF SCREEN OR PERFORATION		, .	7		10 Asbestos		
1 Steel 3 Stainles		5 Fiberglass		RMP (SR)		ecify)	
2 Brass 4 Galvanii		6 Concrete tile		ABS		ed (open hole)	
CREEN OR PERFORATION OPENII					8 Saw cut	11 None (open hole)	
	Mill slot	5 Gauzed				11 None (open noie)	
		6 Wire w			9 Drilled holes		
2 Louvered shutter 4 I	Key punched	7 Torch c			``		
Frout Intervals: From	From	Cement grout	(3)Be	entonite 4 ft. to	Other		
What is the nearest source of possible						14 Abandoned water well	
1 Septic tank 4 Late	eral lines	7 Pit privy		(11) Fuel	•	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoo	8 Sewage lagoon 12 Ferti		lizer storage	16 Other (specify below)	
3 Watertight sewer lines 6 See	page pit	9 Feedyard			cticide storage		
rection from well? WNW					ny feet? 225		
FROM TO	LITHOLOGIC		FROM	i TO	PLUGGI	NG INTERVALS	
	ravel (road fill)						
	<u>noist, plastic, B</u>						
		plastic, no odor, Re					
14 21 Clay, sandy,	moist, plastic,	no odor, Yellowish					
21 28 Sand (vf-c),	subrounded, m	oist, no odor, Brow					
28 40 Sand (vf-c) v	v/fine gravel, si	ubrounded, Brown					
			-		MW/12 Fluct		
					MW12, Flushmount	Con Product	
					Project Name: GF - Fari		
CONTRACTOR'S OR LANDOWNE nd was completed on (mo/day/year)				structed, (2) red			
ansas Water Well Contractor's Lice							
nder the business name of		oCore, Inc.	, V	by (signa		ale Oll	
INSTRUCTIONS: Use typewriter or ball p Department of Health and Environment, E			arly. Pleas			vers. Send top three copies to Kansa and retain one for your records.	