		WA	TER WELL RECORD F		-5 KSA 82					
1 LOCATION OF W	ATER WELL:	Fraction	1/ 3/55/ 1/ 3/5		ction Number			Range Number		
County: Reno	on from nosessi i	NE NE		1/4	16	T 24	\$	R 7 FW		
31 N. Main, Par	tridge		et address of well if locate	a within city	7					
2 WATER WELL O	WNER:	Coonerative Flex	vator							
								of Agriculture, Division of Water Resources		
City, State, ZIP Code Nickerson, KS 67561						Application Number:				
LOCATE WELL'S WITH AN "X" IN S	LOCATION SECTION BOX: N		COMPLETED WELL andwater Encountered 1.					3 ft.		
¥ :	X							/r		
1		Pu	mp test data: Well water	was	<b>N.A</b> ft. a	ifter h	ours pur	mpinggpm		
- NW	NE							mping gpm		
W W		Bore Hole Dia					-	. to ft.		
≥ W	<del>                                     </del>	WELL WATE	R TO BE USED AS: 5	oublic water	supply	8 Air conditioning	11	Injection well		
4		1 Domest	ic 3 Feedlot 6	Oil field wate	er supply	9 Dewatering		Other (Specify below)		
I SW	SE	2 Irrigatio				10 Monitoring well		Air sparge		
1120	S	Was a chemic submitted	cai/bacteriological sample	submitted to		t? YesNo ✓ ater Well Disinfected		mo/day/yr samole was No <b>√</b>		
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOIN	TS: Glue	d Clamped		
1 Steel	3 RMP (S		6 Asbestos-Cement		(specify bel			ed		
2)PVC	4 ABS		7 Fiberglass		( )			aded. 🗸		
<b>,</b> ,	er	in. to	•					. in. to ft.		
			in., weight							
TYPE OF SCREEN (	OR PERFORATIO	N MATERIAL	•	(7)PV	rC	10 Asbes	tos-cem	ent		
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RM	MP (SR)	11 Other	(specify	)		
2 Brass	4 Galvaniz	zed steel	6 Concrete tile	9 AB		12 None				
SCREEN OR PERFO	RATION OPENIN	NGS ARE:	5 Gauzeo	wrapped		8 Saw cut		11 None (open hole)		
1 Continuous	slot (3)/	Mill slot	6 Wire w	rapped		9 Drilled holes				
2 Louvered sh	utter 4 k	Key punched	7 Torch	cut		10 Other (specify)				
SCREEN-PERFORA	TED INTERVALS	: From	40 ft. to	42	ft., F	rom	ft.	to ft.		
		From	ft. to		ft., F	rom	ft.	to ft.		
GRAVEL PA	ACK INTERVALS							to ft.		
						rom	ft.	to ft.		
GROUT MATERIA			2 Cement grout	(3)Bento						
Grout Intervals: Fro	om	. ft. to ?	2 ft., From	2 ft.	to 37	ft, From		ft. to ft.		
What is the nearest s	source of possible	e contamination	ı:			stock pens		bandoned water well		
<ol> <li>Septic tank</li> </ol>	4 Late	eral lines	7 Pit privy		(11) Fue	l storage	15 C	il well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewage lagoon						tilizer storage	16 C	other (specify below)		
3 Watertight sew	er lines 6 See	page pit	9 Feedyard			ecticide storage				
Direction from well?	NNE	1 12 101 001				nny feet? 20	20110 11	ATT DVALO		
FROM TO	C1	LITHOLOGI		FROM	ТО	PLU	GING II	NTERVALS		
0 5	Clay, silty, m									
5 16			subrounded to suban		-					
16 25			good porosity, Lt. Br							
25 32			saturated @ 27', Gra	T						
32 40			subrounded, saturat							
40 42	Sand, As Abo	<u>ove with thin</u>	clay lenses,							
							.,			
	-			-						
					-					
						AS2, Flushmount	•			
						Project Name: GF - I				
				<u> </u>		GeoCore # 1206, KD				
			ATION: This water well wa			constructed, or (3) p	ugged u	nder my jurisdiction		
			8/19/2005					y knowledge and belief.		
Kansas Water Well (	Contractor's Lice	nse No	<b>527</b> This	Water We	Il Record wa	s completed on (mo/o	ay/yr) .	9/8/05		
under the business n			GeoCore, Inc.		by (sign		Koll			
INSTRUCTIONS: Us Department of Healt	se typewriter or ball p h and Environment, B	point pen. <u>PLEASE</u> Bureau of Water, To	PRESS FIRMLY and PRINT cle peka, Kansas 66620-0001. Tele	early. Please f	ill in blanks, und 6-5545. Send o	lerline or circle the correct ne to WATER WELL OWN	answers. S	Send top three copies to Kansas ain one for your records.		