WATE	R WEI	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. No	47,429
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number	
County: Reno			SW 1/4 NW 1/4 NE	1/4 NW 1/4		T 24 S	R 7 □E ☑W
		Address of Well Location; i		Global Positioning System (GPS) information:			
		town or intersection: If at o		Latitude: .37.95463(in decimal degrees)			
110111	110011001		, , , , , , , , , , , , , , , , , , ,	Longitude: 098.10007 (in decimal degrees)			
Elevation: 1605							···· (iii dobiniai dog.oob)
					Datum: ☐ WGS 84, ☐ NAD 83, 【 NAD 27		
2 WATER WELL OWNER: Jared C. Oatney					Collection Method:		
RR#, Street Address, Box #: 10705 West K-61 Hwv.					GPS unit (Make/Model: Garmin csx		
City	, State, 2	ZIP Code : Partrido	e, Kansas 67566		☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey		
Est. Accuracy:							
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 62							
SECTION BOX: Depth(s) Groundwater Encountered (1)							
WELL'S STATIC WATER LEVEL25ft. below land surface measured on mo/day/yr4-28-10							
Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELDgpm. Well water wasft. after hours pumping							
W Bore Hole Diameter 30in. to .62ft., andin. toft.							
WELL WATER TO BE USED AS:							
SWSE Domestic							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
	1 mile	Water well disin	fected? 🔽 Yes 🗌	No			
5 TVP	E OF C	ASING LISED: Steel	Ø PVC □ (Other			
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other							
Casing diameter .16							
Casing height above land surface. 30 in., Weight SCH.40 lbs./ft., Wall thickness or gauge No500 TYPE OF SCREEN OR PERFORATION MATERIAL:							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel							
_	Brass		None used (open h	ole)	Outer (Specify)		•••••
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From62							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout In		From 18 ft. to	1		t. to ft	From	ft. toft.
Grout Intervals: From .18 ft. to .1 ft., From ft. to ft., From ft. to ft., From ft. to ft.							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direc	ction from	m well		Distance i	rom well	<u></u>	
FROM	TO	LITHOLOG		FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS
0	3	Top soil					
3	8	Tan clay					
8	35	Medium to fine sand					
35	36	Tan clay					
	50	Medium to fine sand					
36							
50	61	Small to fine sand		 			
61	62	Red bed					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .4-28-10 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 5-4-10							
under the business name of Rosencrantz-Bemis Ent. by (signature) June a Dadage							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy							