WATER WELL	RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	, L		
	F WATER WELL:	Fraction		Section	on Number	Township No.	Range N		
	900	1/4 NE 1/4 SE	= 1/4 5 = 1/4		25	T 24 S			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:				
nom hearest town of intersection. If at owner's address, check here				Long	Longitude:				
					Elevation:				
2 WATER WELL OWNER: Tolog Fugue				Datun	Datum: WGS 84, NAD 83, NAD 27				
RR#, Street Address, Box #:					Collection Method: GPS unit (Make/Model:)				
2 WATER WELL OWNER: John Evans RR#, Street Address, Box #: City, State, ZIP Code: Hytch, KS 67501					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
3 LOCATE WELL Est.						3 m, 3-5 m,	5-15 m, [] >15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 1.06									
SECTION BOX: Depth(s) Groundwater Encountered (1)									
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr//8//									
Pump test data: Well water was									
W Bore Hole Diameter									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ★ Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
0101,121	THORAT (TER, TES.	From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals:			ı β .Ω	. ft. to	3. \$ ft.,	From	. ft. to	ft.	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage				ge	e Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well									
FROM TO	LITHOLOG	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	FROM	TO		OG (cont.) or PLU			
			1110111			5 5 (50mm) <u>01</u> 1 DO		a seat 1 / ML/N	
ラ はっ!	Br + wT Cla Sand + Grav	e/							
	Br Clay								
28 128	shale'					***			
	well was bo	K 5:1100				****			
	40 106 h				***************************************	***************************************			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 17 constructed or 17 plugged									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, \Box reconstructed, or \Box plugged under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 477 This Water Well Record was completed on (mo/day/year)									
under the business name of									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
L nup.//www.kulleks.gov/	waterwein maex, mm.								