WATE	R WE	LL RECORD	Form W	WC-5	Division of Wa	ter Resources App. N	o. 47,301	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
			SE 1/4 SE 1/4 SV		21	T 24 S	R 7 □E 🗷W	
		Address of Well Location;		Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latitude: 37.94917 (in decimal degrees) Longitude: 098.10090 (in decimal degrees)			
From Partridge, Ks. 4 1/2 S 1 W 1/2 N					Elevation: 1620			
A WIAMED WITH A CHINED					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☑ NAD 27			
2 WATER WELL OWNER: Jared C. Oatney					Collection Method:			
RR#, Street Address, Box #: 10705 West -61 Hwv. City, State, ZIP Code : Partridge Kansas 67566					☐ GPS unit (Make/Model: Garmin csx ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Partridge, Kansas 67566					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 55 ft.								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water was								
EST. YIELDgpm. Well water wasft. after								
W E Bore Hole Diameter								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 16. in to 43. ft., Diameter in to ft., Diameter in to ft.								
Casing height above land surface. 24 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No500								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout In				n í	t. to ft.	, From	. ft. toft.	
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
		m well			rom well			
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. I	.OG (cont.) <u>or</u> PLU	GGING INTERVALS	
3	7	Top soil						
7	18	Tan sandy clay Medium sand and gray	el					
18	22	Light gray clay	<u> </u>					
22	52	Medium sand and grave	el					
52	54	Small sand						
54	55	Red bed						
T CONTRACTORIO OR L'ANDOUNTERIS CERTIFICA ENTON TIL.								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .7-13-11								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 8-5-2011								
under the business name of Rosencrantz-Bernis Ent. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								

47,301