WAIL	K WŁI	L RECORD	FORM WV	<u> </u>	Divis	ion of water	Resources App. No		
1 Dockston with the second		Fraction			Number	•	Range Number		
			SE 1/4 SW 1/4 NW			22	R7 DE W		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude: .37,95253			
						Longitude: 98.08577 (in decimal degrees)			
From Partridge 3/4 S. ESR					Elevation: 1597				
						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ② NAD 27			
2 WATER WELL OWNER: Vernelle Voth					Collection Method:				
RR#, Street Address, Box #: 104 S. Salina. Box 488					GPS unit (Make/Model: Garmin 62S				
City, State, ZIP Code : Haven,			Kansas 67543	☐ Digital Map/Photo, Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 68 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1)								
Pump test data: Well water wasft. after hours pumping							ping gpm		
. NV	v N	EST. YIELD	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm						
w		E Bore Hole Diam	Bore Hole Diameter 30 in. to						
WELL WATER TO BE USED AS:									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
								•••••	
—							Yes VINO		
S If yes, mo/day/yr sample was submitted									
water went distincted: [9] Tes [] No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Threaded Threaded									
Casing diameter .16									
Casing height above land surface. 24 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No500									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None									
Direc	ction from	n well		Distance	from well		<u></u>		
FROM	TO	LITHOLOG	IC LOG	FROM	ТО	LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
0	3	Top soil							
3	9	Brown clay							
9	54	Small to fine sand							
54	58	Red clay layer							
58	67	Small to fine sand							
67	68	Shale							
			······································						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
7 CON	TRACT	OR'S OR LANDOWNEI	R'S CERTIFICATION	V: This wate	r well was	s 🖊 constru	ucted, \square reconstr	ucted, or \square plugged	
under my jurisdiction and was completed on (mo/day/year) .3-26-2013 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-29-2013									
under the business name of Rosencrantz-Bemis Enterprise by (signature) by (signature) Diddill Send three copies Send three copies									
(white, blue, pink) to Kansas Depart ment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.									
Telephone	785-296-	5524. Send one copy to WAT	ER WELL OWNER and re	etain one for y	our records.	Include fee	of \$5.00 for each co	onstructed well. Vi sit us at	
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy									