WATEI	R WEI	L RECORD	Form W	WC-5	Division of Wate	r Resources App. No	47,877	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	ty: Ren		SW 1/4 SW 1/4 NW		22	T 24 S	R 7 □E 🗹 W	
		Address of Well Location;		Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latitude: .37.95253 (in decimal degrees) Longitude: 98.08698 (in decimal degrees)			
From Partridge 3/4 S. ESR					Elevation: 1597			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Vernelle Voth					Collection Method:			
RR#, Street Address, Box #: 104 S. Salina. Box 488					GPS unit (Make/Model: Garmin 62S			
City,	, State, Z	IP Code : Haven,	Kansas 67543	ansas 67543		☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m		
Est. Accuracy: <3 m, 3-15 m, >15 m								
	H AN "X"		COMPLETED WEL	L 70	ft.			
SECTION BOX: Depth(s) Groundwater Encountered (1), ft. (2), ft. (3), ft.								
WELL'S STATIC WATER LEVEL. 32ft. below land surface measured on mo/day/yr. 3-272013								
Pump test data: Well water wasft. after hours pumpinggg								
W EST. YIELDgpm. Well water wasft. afterhours pumpinggpm. Well water wasft. afterhours pumpinggpm. delta be a specific pumping								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SW - SE -								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
	l mile		fected? 📝 Yes 🗌					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16 in. to .50 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface 24 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No500								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
			From	ft. to	ft., From	ft. 1	to ft.	
	GRAV	EL PACK INTERVALS:	From70	ft. to20	ft., From	ft.	to ft.	
			From	ft. to	ft., From	ft. 1	to ft.	
		ΓERIAL: □ Neat ceme	ent	t 🗹 Bentor	ite 🗌 Other			
Grout In		From .20 ft. to	ft., Fron	1:	ft. to ft.,	From	. ft. toft.	
		est source of possible conta			-			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below of the prive of t							er (specify below)	
		ht sewer lines Seepage p		Fuel storage)	
		n well			from well			
FROM	ТО	LITHOLOG		FROM			GGING INTERVALS	
0	3	Top soil						
3	9	Brown clay						
9	23	Small to fine sand						
23	25	Tan clay with sand						
25	60	Small to fine sand						
60	63	Clay and sand mix						
63	69	Small sand						
69	70	Shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 3-27-2013 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-29-2013								
under the business name of Rosencrantz-Bemis Enterprise by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								