WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL: County: Reno			Fraction SW 1/4 NE 1/4 NE	4 NW 4	Section Number 4	Township No. T 24 S	Range Number R 7
		ddress of Well Location;		Global Positioning			
from nearest town or intersection: If at owner's address, check here 2. Latitude: .37.99804							
From Hwy 50 & Partridge Rd. 1N 1/2W SSR					Longitude: 098,09756 (in decimal degrees)		
110	III I I M y J	o a raiu aye nu. III ii	211 001	Elevation: 1627			
					Datum: WGS 84		
2 WATER WELL OWNER: Cara Ellis					Collection Method:		
RR#, Street Address, Box #: 11303 W. Morgan Rd.					GPS unit (Make/Model: Garmin 62S		
City	, State, Z	P Code : Partrido	e, Kansas 67566		Digital Map/Photo, Topographic Map, Land Survey		
Est. Accuracy:							
1	H AN "X"	IN 4 DEPTH OF	COMPLETED WEL	L 77	ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1)							3)ft.
N WELL'S STATIC WATER LEVEL. 44ft. below land surface measured on mo/day/yr. 2/28/2014							
Pump test data: Well water wasft. after hours pumping							
EST. YIELDgpm. Well water was							ping gpm
W E Bore Hole Diameter 10							
WELL WATER TO BE USED AS:							njection well
	SW. SF. Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☑ Yes □ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5 in. to .57 ft., Diameter in. to ft., Diameter in. to ft.							
Casii	ig height a	bove land surface16	in., Weigh	t .160	lbs./ft., Wall thic	kness or gauge N	o214
TYPE	OF SCRE	EN OR PERFORATION	MATERIAL:		·		
_	Steel	Stainless Steel	Z PVC		Other (Specify)		
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
From							
	GRAVE	L PACK INTERVALS:	From 77	ft to 20	ft From	A	to fi
GRAVEL PACK INTERVALS: From							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other. Grout Intervals: From .20. ft. to .0 ft., From ft. to ft. ft.							
Grout I	ntervals:	From .20 ft. to	.0	n 1	n. to ft.,	From	. ft. toft.
		st source of possible cont	amination:				
	Septic tan		nes 🔲 Pit privy	Livestock p			er (specify below)
	Sewer lin		Sewage lagoon	Fuel storage		l water well Is well Old W	الم
			oit	Fertilizer st		D Well	
FROM		well NE LITHOLOG	TC I OG	FROM	from well7.5.'		
	3		IIC LOG	FROM	TO LITHO. LO	JO (COIL.) OF PLU	GGING INTERVALS
3	41	Top soil		+			
41	65	Brown clay	miy 70/20	+			
65	77	Fine sand-brown clay r		+			
	78	Brown tan clay-fine sar Hard caliche w/shale p		+			
77	10	maru casiche w/shale p		+			
	+			+			
	 			 			
	+			+		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	+			+		·	
7 CONTRACTORIS OR LANDOWNER CERTIFICATION, This was all the second of th							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2/28/2914 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3/3/2014							
under the business name of Rosancrantz-Bamis Ent. by (signature)							
		Use ty pewriter or ball point pen					t answers. Send three copies
(white, b	lue, pink) to	Kansas Depar tment of Health	and E nvironment, Bureau	of Water, Geolo	gy Section, 1000 SW Ja	ckson St., Suite 420,	Topeka, Kansas 666 12-1367.
Telephor	e 785-296-5	524. Send one copy to WAT					
		ov/waterwell/index.html.			Charles 12 was	nia Come Di Bi	
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							