				WELL RECORD	Form WV		2a-1212			
1 LOCATIO	ON OF WAT		Fraction	~~	3.775	Section Number	1	hip Number	Range Nu	mber
County:	Reno		C 1/4	SE 1/4	NE 1/4		Т	24 s	_R 7W	E/W
			n or city street ad	dress of well if loo	ated within o	ity?				
1 W,	· 불 N of	Partridge								
2 WATER	WELL OW	NER:	_	rilling, In						
RR#, St. A	ddress, Box	#:	251 N•	Water, Sui	te 10		Boar	d of Agriculture, I		
City, State,	ZIP Code	:	Wichit	a, Kansas	67202		Appli	cation Number:	Unkn	own
3 LOCATE	WELL'S LC	CATION WITH	4 DEPTH OF CO	OMPLETED WELL	62	ft. ELE	ATION:	Unknown		
☐ AN "X" I	IN SECTION		Depth(s) Groundw	vater Encountered	1.40		2	ft. 3		ft.
- r		' 	WELL'S STATIC	WATER LEVEL	70	ft below land	surface measur	ed on mo/day/vr	7/20	/81
†	- i - I	- 1 1		test data: Well v						
	- NW	NE	/ ~ '	gpm: Well v				•		
1	1	' x								
* w	_!	E		ter ⁸ in.						π.
2	-	!		O BE USED AS:		water supply		-	Injection well	
-	- sw	SE	1 Domestic	3 Feedlot				ng 12		1
	1	• 1 1	2 Irrigation	4 Industrial		and garden only				
l L			Was a chemical/b	acteriological samp	ole submitted					ole was sub-
	<u> </u>		mitted					nfected? Yes		
5 TYPE O	F BLANK C	ASING USED:		5 Wrought iron	8 C	oncrete tile	CASIN	G JOINTS: Glue	<u>d</u> Clampo	ed
1 Ste	el	3 RMP (SF	•	6 Asbestos-Ceme	ent 9 C	ther (specify be	low)	Weld	ed	
2 PV	<u>c_</u>	4 ABS	10	7 Fiberglass				. Threa	aded	
Blank casin	ng diameter	5	.in. to42	ft., Dia	أنبي بيب	n. to	ft., Dia .		in. to	ft.
Casing heigh	ght above la	ind surface	in. to42	in., weight	2.8	lb	s./ft. Wall thick	ness or gauge N	o Sch.	40
ı						7 PVC		0 Asbestos-ceme		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel				5 Fiberglass 8 RMP (SR)						
2 Bra		4 Galvaniz		6 Concrete tile		9 ABS		2 None used (or		
		RATION OPENIN			auzed wrapp		8 Saw cu		11 None (oper	n hole)
	ntinuous slo		lill slot	6 Wire wrapped			9 Drilled	•	, , , , , , , , , , , , , , , , , , ,	,
	vered shutt				7 Torch cut			specify)		
				42 ft. t		4 5				
SCHEEN-P	ERFORATE	ED INTERVALS:								
· _		014 11.17501444 0	From	10 ft. t	62		rom	ا ۱۱۰		
G	HAVEL PAG	CK INTERVALS:								
			From	ft. t			rom		0	
_	MATERIAL			2 Cement grout						
Grout Inter	vals: Fror	n	.ft. to 10	ft., From						
What is the nearest source of possible contamination:							0 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines							11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			pool	ol 8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)			low)
3 Wa	atertight sew	er lines 6 Seep	page pit	pit 9 Feedyard			secticide storag	e 60		
Direction fr	rom well?		East			How	many feet?			
FROM	то		LITHOLOGIC I	LOG	FRO	то то		LITHOLOG	SIC LOG	
0	30	Clay								
30	57	Sand and (Gravel							
57	62	Red Rock								
							-			
						1	_			
			R'S CERTIFICAȚI							
completed	on (mo/day	/year)	7/20/8	1		and this re	ecord is true to	the best of my kr	nowledge and be	lief. Kansas
Water Wel	Contractor	's License No		. 186. This Wat	er Well Reco	rd was complete	ed on (mo/day/	yr)		5/.81
under the I	business na	me of	Kellv	s Water Wel	ls	by (sid	nature)	2 rue Sa	no	
INCTRLIC										
INSTRUC	TIONS: Use	typewriter or ball	point pen, PLEAS	E PRESS FIRML	Yand <u>PRINT</u>	clearly. Please	ill in blanks, un	derline or circle th	e correct answe	rs. Send top
three copie	es to Kansas	typewriter or ball Department of Hone for your record	point pen, <i>PLEAS</i> ealth and Environm	E <u>PRESS</u> <u>FIRML</u> nent, Division of En	Y and <i>PRINT</i> vironment, Er	clearly. Please for ovironmental Geo	ill in blanks, un blogy Section, T	derliné or circle th opeka, KS 66620	e correct answer . Send one to WA	rs. Send top ATER WELL