KOLAR Document ID: 1584386

WATER WELL R	_	-	WWC-5			on of Wate						
			e in Well Use	Resources App. No.				Well ID				
1 LOCATION OF WATER WELL:			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Section Number			Township Numb		ige Number		
County: 1/4 1/4 2 WELL OWNER: Last Name: First:				-	Durol	$T S R \Box E \Box W$ rral Address where well is located (if unknown, distance and						
2 WELL OWNER: L Business:		rection from nearest town or intersection): If at owner's address, check here:										
Address:												
Address:												
City:		State:	ZIP:									
3 LOCATE WELL WITH "X" IN												
SECTION BOX: Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) \Box					Longrouder (decimal degrees)							
Ν												
	WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude:						
NW NE	\square above land surface, measured on (mo day-yr)											
		Pump test data: Well water was ft.				□ Land Survey □ Topographic Map						
W E	after	after hours pumping				Online Mapper:						
SW SE	ofter	Well water was ft. after hours pumping gpm										
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
S	Bore Hole Diameter: in. to f					Source		Land Survey				
1 mile		in. to ft.					Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease												
1. Domestic:												
□ Household 6. □ Dewatering: how many wells? □ Lawn & Garden 7. □ Aquifer Recharge: well ID												
	8. Monitoring: well ID							al: how many bores				
2. 🔲 Irrigation	9. Environmental Remediation: well ID					a) Cl	osed	Loop 🗌 Horizont	al 🗌 Vert	cal		
3. 🗌 Feedlot		Extraction		b) Open Loop 🔲 Surface Discharge 🔲 Inj. of Water								
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.												
Nearest source of possible			potential source of con						1.0.			
☐ Septic Tank ☐ Sewer Lines		Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage La			vestock Pe el Storage			cide Storage oned Water			
☐ Watertight Sewer Lin			☐ Feedyard			rtilizer Sto			ll/Gas Well	wen		
□ Other (Specify)												
Direction from well? ft.												
10 FROM TO	L	ITHOLO	GIC LOG	FROM	[TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
<u>├</u>												
<u>├</u>												
				Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Co	ntractor's Lice	ense No.		ater Well I	Record	d was cor	nple	ted on (mo-dav-v	ear)			
under the business nam	e of		••••••••••••••••••••••••									
	Send one copy to	WATER W	ELL OWNER and retain	one for your	records	s. Fee of \$5	5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												