		LL KECOKD	rorm vv	WC-5			r Kesources App. No			
1 LOCATION OF WATER WELL: County: Reno			Fraction NW ¼ NW ¼ NV	V 1/4 NW 1		ion Number 1	Township No. T 24 S	Range Number R 8 □E ☑W		
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here										
1	From Partridge, Ks. 2 mile north, 1 mile west						Longitude:			
Trom Fardiage, No. 2 time floral, Trime west					Elev	Elevation:				
						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Marvin E. & Lois J. Mast						Collection Method:				
RR#, Street Address, Box #: 11 South Lyons Street						GPS unit (Make/Model:)				
City, State, ZIP Code : Partridge, Kansas 67566						Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m										
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .74										
Sie	SECTION BOX: Depth(s) Groundwater Encountered (1)									
FCT VIELD										
	W N		Bore Hole Diameter							
W   E   Bore Hole Diameter										
_'		Domestic						Other (Specify below)		
S	W S	Irrigation								
			bacteriological sample					••••••		
1	S						103 110			
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 16. in. to 54 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface. 24 in., Weight SCH 40 lbs/ft., Wall thickness or gauge No500										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From .20 ft. to .2 ft., From										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)										
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well										
☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well/gas well										
FROM	TO	m wellLITHOLOG								
			IC LOO	FROM	то	LITHO. LC	O (CONT.) Or PLU	GGING INTERVALS		
0	9 18	Brown Clay				<b></b>				
9	30	Chalky White Clay				1				
18	32	Fine Sand								
30		Sand, Clay, Ironaided R	OCK							
32	35	Grey Clay,				ļ				
35	41	Brown Clay								
41	73	Sand and Small Gravel								
73	74	Grey Clay								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   Constructed, □ reconstructed, or □ plugged										
under my jurisdiction and was completed on (mo/day/year) .5:29:09										
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 5-29-09										
under the business name of Rosencrantz-Bernis Ent. by (signature) the Dadasan										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy										

47,268