WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number T 24 S R 9 DE WW
County: Reno Street/Rural Address of Well Location;	if unknown distance & direction	Global Positioning System (GPS) information:
from nearest town or intersection: If at		Latitude:3.7.9.4.1.3 (in decimal degrees)
'ly mis of Huntsville	Rd + Morgan Ave	Latitude: 3.7.9.9.41.3 (in decimal degrees) Longitude: 0.9.8.2.3.4.6.8.6 (in decimal degrees) Elevation:
2 WATER WELL OWNER: n	4 D. Lorte	Datum: WGS 84, X NAD 83, NAD 27 Collection Method:
RR#, Street Address, Box #:	ky Roberts Detroit Dr	GPS unit (Make/Model:)
City, State, ZIP Code : 42	Detroit un	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
S. H	utch, KS 67505	Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL		
SECTION BOX: Depth(s) Groundwater Encountered (1)		
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 8.7.2.1		
Pump test data: Well water was 2.4ft. after		
EST. YIELDgpm. Well water wasft. after hours pumpinggpm		
$ W $   E   Bore Hole Diameter $\mathbb{Z}$		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Sw. CD Domestic Feedlot Oil field water supply Dewatering Cother (Specify below)		
SW SE		
Was a chemical/bacteriological sample submitted to Department?  Yes No		
S If yes, mo/day/yr sample was submitted		
	nfected? Yes No	
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: TG Glued Clamped Welded Threaded		
Casing diameter		
Casing height above land surface	Z in., Weight & A.A.A.	lbs./π., wan thickness or gauge No
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From. 4.6. ft. to 6.0 ft., From ft. to ft.		
From. ft. to ft., From ft. to ft.		
GRAVEL PACK INTERVALS: From		
From ft. to ft. From ft. to ft.		
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other		
Grout Intervals: From		
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)		
Saver lines		
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well		
Direction from well		from well
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 7 F Silty Sa		
	Clay	
19 24 F Sand	14	
24 35 Rocky Br C	ny	
	Gravel	
60 62 Br Clay		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged		
under my jurisdiction and was completed on (mo/day/year) 8 2 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No		
under the business name of Miller Dailling by (signature) in Miller		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		