Al Eat 1 20110363 Form WWC-5 Division of Water Resources App. No. WATER WELL RECORD **LOCATION OF WATER WELL:** Fraction Section Number Township No. Range Number 24 S County: Reno SE 1/4 NW 1/4 SE 1/4 SE 1/4 Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Latitude: 37.94370 (in decimal degrees) from nearest town or intersection: If at owner's address, check here ... Longitude: 098.25436 (in decimal degrees) From Plevna, Ks.: 3 W 1 1/2 S WSR Elevation: 1616 Datum: ☐ WGS 84, ☐ NAD 83, **[7**] NAD 27 WATER WELL OWNER: WEST CON Collection Method: GPS unit (Make/Model: Garmin csx RR#, Street Address, Box #: 10011-B Woodend Road City, State, ZIP Code Digital Map/Photo, 7 Topographic Map, Land Survey Edwardsville, Ks. 66111 LOCATE WELL 4 DEPTH OF COMPLETED WELL 30 ft. WITH AN "X" IN SECTION BOX: (3).... ft. N EST. YIELD......gpm. Well water was......ft. after...... hours pumping..........gpm - NW - --- NE --Bore Hole Diameter 16 in. to 30 ft., and in. to ft. w WELL WATER TO BE USED AS: Public water supply ☐ Geothermal ☐ Feedlot ☐ Oil field water supply Dewatering Other (Specify below) ☐ Domestic - SW - --- SF -☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ☐ Irrigation Was a chemical/bacteriological sample submitted to Department?

Yes

No If yes, mo/day/yr sample was submitted..... S Water well disinfected? Yes No 5 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 8 in. to 10 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 15 in., Weight 160 lbs./ft., Wall thickness or gauge No 322 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Brass ✓ PVC✓ None used (open hole) Stainless Steel Other (Specify) Galvanized Steel SCREEN OR PERFORATION OPENINGS ARE: ☐ Gauze wrapped ☐ Torch cut ☐ Wire wrapped ☐ Saw cut ☐ Continuous slot ☐ Mill slot ☐ Louvered shutter ☐ Key punched ☐ Drilled holes None (open hole) Other (specify) SCREEN-PERFORATED INTERVALS: From. 10. ft. to ...30. ft. From ... ft. to ... ft. 6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☑ Other n/a Grout Intervals: What is the nearest source of possible contamination:

 □ Septic tank
 □ Lateral lines
 □ Pit privy
 □ Livestock pens

 □ Sewer lines
 □ Cesspool
 □ Sewage lagoon
 □ Fuel storage

 □ Watertight sewer lines
 □ Seepage pit
 □ Feedyard
 □ Fertilizer storage

 Other (specify below) ☐ Insecticide storage Abandoned water well Fertilizer storage Oil well/gas well Direction from well Distance from well LITHOLOGIC LOG FROM LITHO. LOG (cont.) or PLUGGING INTERVALS FROM TO TO Top soil 2 6 Brown clay tight 18 6 Fine to small sand 18 30 Grey clay tight 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega} \) constructed, \(\sqrt{\omega} \) reconstructed, or \(\sqrt{\omega} \) plugged under my jurisdiction and was completed on (mo/day/year) .9-15-11....... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 9-19-2011 under the business name of Rosencrantz-Bernis Ent. by (signature) Support Doubles Correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.

Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at

Check: White Copy, Blue Copy, Pink Copy

http://www.kdheks.gov/waterwell/index.html.
KSA 82a-1212