WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	لبيب
1 LOCATION OF WATER WELL: County: Reno	Fraction NW ¼ NW ¼ NW ¼ NW ¼	Section Number Township No. Range Number 34 T 24 S R 9 DE V	Z]W
Street/Rural Address of Well Location	; if unknown, distance & direction	Global Positioning System (GPS) information:	
from nearest town or intersection: If a	t owner's address, check here 🔟.	Latitude: 37,92593 (in decimal degree Longitude: 098,30592 (in decimal degree Longitude: 098,30592)	es)
		Elevation: 1666	eesj
A WATERD WELL OWNER.		- <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☑ NAD 27	
	Bontrager West Greenfield Rd.	Collection Method: GPS unit (Make/Model:)
at a man a t	a, Kansas 67568	Digital Map/Photo, Topographic Map, Land Surv	ey
	a, Narisas Grood	Est. Accuracy:	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL .70		:
		ft. (2) ft. (3)	ft.
N WELL'S STA	TIC WATER LEVELft	below land surface measured on mo/day/yr. 6-5-2013	• • • •
Dog tree	np test data: Well water was	ft. after hours pumping g ft. after hours pumping g	pm
		ft., andft.	Pixt
WELL WATI	ER TO BE USED AS: Public wat	er supply Geothermal Injection well	
Domestic		er supply Dewatering Other (Specify belo	
Irrigation Was a chemic	Industrial Domestic-iar al/bacteriological sample submitted to	wn & garden Monitoring well	• • • •
S If yes, m	no/day/yr sample was submitted		
	sinfected? 📝 Yes 🗌 No		
5 TYPE OF CASING USED: St			
CASING JOINTS: Glued C	lamped 🔲 Welded 🔲 Threade	d	o.
Casing diameter .5 in. to .50 ft., Diameter in. to ft., Diameter in. to ft., Casing height above land surface .14 in., Weight .160 lbs./ft., Wall thickness or gauge No214			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)			
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENII	None used (open hole)		
☐ Continuous slot ☐ Mill slot	Gauze wrapped Torch cut	☐ Drilled holes ☐ None (open hole)	
Louvered shutter Key punched	d ☐ Wire wrapped ☑ Saw cut	☐ Other (specify)	A
SCREEN-PERFORATED INTERVAL	From ft. to	ft., From ft. to	ft.
GRAVEL PACK INTERVALS	S: From	ft., From ft. to	ft.
	Fromft. to	ft., From ft. to	ft.
6 GROUT MATERIAL: Neat ce	ment Cement grout Bento	nite	
What is the nearest source of possible co		it. to	
Septic tank Lateral	lines Pit privy Livestock	, <u></u>	
Sewer lines Cesspo	ol Sewage lagoon Fuel storage pit Feedyard Fertilizer s		
1 CE	Distance	from well40'	
the state of the s	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERV	ALS
0 3 Top soil 3 12 Medium to fine sand			
3 12 Medium to fine sand w	/pcs_tan_clay		
- Official to line said w	200. 2011 0104		
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION: This wa	ter well was 🗸 constructed, 🗌 reconstructed, or 🗌 plugg	ged
under my jurisdiction and was complete Kansas Water Well Contractor's License	on (mo/day/year) .ワーマームン.!១ a - No. 134 This Water Well I	and this record is true to the best of my knowledge and bel Record was completed on (mo/day/year) .6-13-2013	uer.
under the business name ofRosencra	ıntz-Bemis Ent.	by (signature) Decese Ordean	
INSTRUCTIONS: Use ty pewriter or ball point	pen. PLEASE PRESS FIRMLY and PRINT c	learly. Please fill in blanks and check the correct answers. Send three	copies
Telephone 785-296-5524. Send one copy to W	ATER WELL OWNER and retain one for	logy Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 6661 your records. Include fee of \$5.00 for each constructed well. Vi s	2-130/. it us at
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212	***		
NOA 028-1212		Check: White Copy, Blue Copy, Pinl	k Cop

Check: White Copy, Blue Copy, Pink Copy