WATER WE	ATER WELL RECORD Form W		C-5	Division of Water Resources App. No. 37/82			
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number	
County: Reno		1/4 SW 1/4 NE 1/4 SW 1/4		31	T 24 S	R 9 □E ☑W	
	Address of Well Location;		Global Positioning System (GPS) information:				
from nearest	from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)		
2 3/4 South, 2 1/4 East of Sylvia			Longitude: (in decimal degrees)				
				Elevation:			
2 WATER WELL OWNER: Jeremy Betzen				Datum:   WGS 84,   NAD 83,   NAD 27   Collection Method:			
RR#, Street Address, Box #: 120182 NE 5th Street				GPS unit (Make/Model:)			
C'. C. TIP C. I			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Cunningham, KS 67035				Est. Accuracy:			
3 LOCATE W	ELL		^4	_			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 64							
	SECTION BOX: Depth(s) Groundwater Encountered (1)						
WELL'S STATIC WATER LEVELtt. below land surface measured on mo/day/yr. 4-3-1.5							
Pump test data: Well water was 48							
1 - 1 - 1 - 1 - 1 - 1 - 1							
W   E   Bore Hole Diameter 4.9							
1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2							
SW <sup>3</sup>  SE     Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department?  Yes V No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected?							
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other							
Casing diameter .16							
Casing diameter 1.0							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel Stainless Steel Steel Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Next cement Cement grout Prentonite Other							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft.							
What is the near	rest source of possible conta	mination:				. 10. 10	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None  Direction from well							
	om well		Distance f				
FROM TO	LITHOLOG	IC LOG 1	FROM	TO LITHO. LO	JG (cont.) or PLU	GGING INTERVALS	
0 1	Sandy top soil						
1 8	Tan clay						
8 11	Sandy tan clay						
11 30 30 32	Sand & gravel- small						
	Sandy gray clay						
32 40	Sandy tan clay	mall					
40 64	Sand & gravel- fine to s	mdli					
<del>                                     </del>							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 7-25-13							
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							