

WATER WELL RI		// // C-3	19370		ion of Water		W 11 ID		
		e in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1	
1 LOCATION OF WATER WELL:		Fraction	1/ 1/	Secti	on Number	Township Numb		ige Number	
County:	1/4 1/4	1/4 1/4	. D	1 4 1 1 1	T S	R	□E □W		
2 WELL OWNER: La Business:	st Name:	First:		treet or Rural Address where well is located (if unknown, distance and					
Address:	direction from nearest town or intersection): If at owner's address, check here:							meck nere:	
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	•	ft	5 Letitud	· ·		(daaimal daamaa)			
WITH "X" IN	4 <b>DEPTH OF COMPLETED WELL:</b> Depth(s) Groundwater Encountered: 1)								
SECTION BOA: $(2)$ ft $(3)$ ft or $(4)$									
N	WELL'S STATIC WATER LEVEL:								
	□ below land surface, measured on (mo-day-yr				GPS (unit make/model:				
NW NE	above land surface, measured on (mo-day-yr								
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map				
WX E	after hours			Online Mapper:					
SW SE	Well w								
	after hours pumping gpr			6 Elevation:ft. ☐ Ground Level ☐ TOC					
S	Estimated Yield:gpm Bore Hole Diameter:in. tofi			<u> </u>					
1 mile			Other						
1 mile  in. to ft. Uniter									
1. Domestic: 5. □ Public Water Supply: well ID									
Household	6. ☐ Dewatering: how many wells?								
☐ Lawn & Garden									
Livestock	8. Monitorin								
2. ☐ Irrigation	9. Environmenta								
3. Feedlot					b) Open Loop    Surface Discharge    Inj. of Water				
4. Industrial	☐ Recovery	☐ Injection	l		13. $\square$ Other	(specify):		• • • • • • • • • • • • • • • • • • • •	
Was a chemical/bacteriological sample submitted to KDHE?									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE OF CASING USED:  Steel PVC Other									
Casing diameter in. to ft., Diameter ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot     ☐ Mill Slot     ☐ Gauze Wrapped     ☐ Torch Cut     ☐ Drilled Holes     ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.									
Grout Intervals: From									
Nearest source of possible contamination:									
Septic Tank    Lateral Lines    Pit Privy    Livestock Pens    Insecticide Storage									
☐ Sewer Lines									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)									
10 FROM TO	LITHOLOG		FRC			It THO. LOG (cont.) o		CINTEDVALC	
10 FROM 10	LITHOLOG	JIC LUG	FRU	VIVI	IO LI	THO. LOG (cont.) 0	PLUGGIN	JINIERVALS	
			Note	s:	J				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Cont	tractor's License No	This	Water Wel	1 Reco	rd was comp	leted on (mo-day-y	ear)		
under the business name	OI	TELL OWNED and	oin one for		de Egg of ¢5 oo	for each constructs 1	 all		
under the business name of  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html