KOLAR Document ID: 1572670

WATER WELL RECORD Form WWC-5 Di						W 11 ID		
		ge in Well Use		sources App. N		Well ID	N. 1	
1 LOCATION OF V	NATER WELL:	Fraction		ection Number			nge Number	
County:		1/4 1/4 1/4		1 4 1 1	T S	R	□ E □ W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Business: Address:			direction fron	n nearest town or	intersection): If at owne	r's address,	check here:	
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COL	ADI EWED WELL		S	_			
WITH "X" IN	4 DEPTH OF COMPLETED WELL:				,			
SECTION BOX:	1 1				tude:			
N		3) ft., or 4) ☐ TER LEVEL:			: ☐ WGS 84 ☐ NA		IAD 27	
	□ below land surface		Source for Latitude/Longitude: GPS (unit make/model:)					
NW NE		, measured on (mo-day-						
NW NE	Pump test data: Well w			☐ Land Survey ☐ Topographic Map				
$ \mathbf{w} $	· c 1	s pumping		Online Mapper:				
	Well v	vater was f	t.					
SW SE	after hours pumping gpm			6 Floretion: 6 Florent Land From				
	Estimated Yield:gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map			
S	Bore Hole Diameter: in. to ft. ar			Source	Source:			
1 mile It. U It.								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID								
1. Domestic:								
☐ Household ☐ Lawn & Garden	6. ☐ Dewatering: how many wells?				11. Test Hole: well ID			
☐ Lawii & Gaideii ☐ Livestock		g: well ID			12. Geothermal: how many bores?			
2. ☐ Irrigation		al Remediation: well ID		a) Closed Loop Horizontal Vertical				
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	Recovery				ner (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to								
Casing height above land surface in. Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From ft., From ft. to ft.								
Nearest source of possible contamination: No potential source of contamination within 200 ft.								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FROM		LITHO. LOG (cont.) or		GINTERVALS	
TO TROW TO	EITHOLOG	ole Loo	TROM	10	ETTTO: LOG (cont.) o.	LUGGIIV	GIVIERVILD	
				+ +				
				+				
			Notes:					
	1106651							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								