SE SW NE NW

WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick 1/4 XL 1/4 NW 1/4 25 Т 25 S R 1W ĖΜ Distance and direction from nearest town or city street address of well if located within city? 840 N. Red Bud Ct. Valley Center, Kansas 67147 WATER WELL OWNER: ROBINSON, John Board of Agriculture, Division of Water Resource 840 N. Red Bud Ct. RR#,ST. ADDRESS,BOX #: Valley Center, Kansas ZIP CODE: 67147 CITY, STATE: Application Number: 50 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: **ELEVATION:** WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. Ν 18 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was NW NE ft. after hours of pumping @ gpm Est. Yield: gpm Well water was ft. after hours of pumping @ gpm ⋝ W Bore Hole Diameter 12 to **50** ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering SE 5. Public water supply 7. Lawn and garden only SW 1. Domestic 3. Feedlot 12. Other (Specify below) 2. Irrigation 8. Air conditioning 10. Monitoring well 4. Industrial 6. Oil field water supply ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO) submitted (YES) Was Water Well Disinfected? 5 TYPE OF CASING USED 9. Other (Specify below) CASING JOINTS: C Glued Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped SDR-26 8. Concrete tile 6. Asbestos-Cement 2. PVC 4. ABS 5 Blank casing diameter 40 Dia. in. Dia. in. ft. to 12 Casing height above land surface: 2.35 in.. Weight: lbs. / ft. Wall thickness or gauge No .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 9. ABS 3. Stainless Steel 5. Fiberglass 1. Steel 8. RMP (SR) 2. Brass 4. Galvanized 6. Concrete Tile 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 40 ft 50 From to ft., From to ft. ft From to ft., From ft ft to **GRAVEL PACK INTERVALS:** 24 ft. to 50 From ft., From to ft. From ft. to From ft to ft. **GROUT MATERIALS** 6 Other 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: 24 From ft., ft. ft., to From to ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 15 Oil well/Gas well 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 2. Sewer lines 5. Cess Pool 6. Seepage pit 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line North Direction from well? How many feet? 10 ft. plus From LITHOLOGIC LOG To From To LITHOLOGIC LOG topsoil 10 clay 10 fine sand 20 clav 40 medium sand Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 6/13/2014 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harb