WATER WELL R				ion of Water rces App. No		Well ID	
Original Record LOCATION OF WA				on Number	Township Numb		
	aunck	raction 1/NE 1/4 NW 1/4/	14/4 Section	30	TAS S	R DE W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
Address. POBINCE ENDINE							
Address: Rose	Hill State: KS	ZIP: <i>U 7133</i>	7	ralle	1 Centery X	367147	
3 LOCATE WELL	4 DEPTH OF COMP		<i>≥6</i> ft.	5 Latitud) le:	(decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Groundwater End	countered: 1)	ft.	i .		(decimal degrees)	
N	2) ft. 3) ft., or 4) ☐ Dry Well WELL'S STATIC WATER LEVEL: ft ft.			Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:			
W I	below land surface, m	easured on (mo-day-y	r)9-10-14	GPS (unit make/model:)			
NW NE	above land surface, m	r)		(WAAS enabled?	Yes No)		
W E	Pump test data: Well water was ft. after ppm			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
SW SE	Well water was ft.				T P		
	after hours pumping gpm Estimated Yield:			6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter: in. to ft. and			Source: Land Survey GPS Topographic Map Other			
1 mile ft. Uther							
1. Domestic:		Supply: well ID				ease	
☐ Household				11. Test Hole: well ID			
Livestock	_ *						
2. Irrigation	9. Environmental Remediation: well ID			a) Closed Loop			
3. ☐ Feedlot 4. ☐ Industrial				b) Open Loop			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ✓ Yes ☐ No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: A Glued Clamped Welded Threaded							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From ft. to ft. to ft., From ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well							
Other (Specify) Direction from well? Distance from well? Distance from well?							
Direction from well? 10 FROM TO	LITHOLOGI		11?	ТО	f LITHO LOG (cont.) c	t. or PLUGGING INTERVALS	
O I	TOKO SOUL	CLUG	TROW	10 1	LITTO, LOG (COII.) C	TILOGGINO INTERVALO	
1/2	Cycu,						
12 34 B	Fre Sand	f					
34 36	Close Sara						
	- J						
			Notes:	-			
			-				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega} \) constructed, \(\sqrt{\omega} \) reconstructed, or \(\sqrt{\omega} \) plugged							
under my jurisdiction and was completed on (mo-day-year)							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html				KSA 82a-1212 Revised 9/10/2012			