WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER NWSedgwick 36 25 1W1/4 Τ S 1/4 R E/W Distance and direction from nearest town or city street address of well if located within city? 537 N. Backwood Drive Valley Center, Kansas WATER WELL OWNER: LOVE, Mike Construction Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: P.O. Box 7 Valley Center, Kansas CITY, STATE: ZIP CODE: Application Number 42 3 4 DEPTH OF COMPLETED WELL: ELEVATION: LOCATE WELL'S LOCATION ft. WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft ft. WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 3/2/15 Pump test data: Well water was ft. after NW NE gpm ft. after Est. Yield: gpm Well water was hours of pumping @ gpm 12 ≌ Bore Hole Diameter to 42 in. and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 3. Feedlot 1. Domestic 12. Other (Specify below) 10. Monitoring well 6. Oil field water supply 8. Air conditioning 2. Irrigation 4. Industrial ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO) Was Water Well Disinfected? (YES) submitted 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped SDR-26 Ashestos-Cement 8. Concrete tile 4. ABS 2. PVC 5 Blank casing diameter in. to 30 ft., Dia. in. to ft., Dia. ft. to 12 2.35 Wall thickness or gauge No. Casing height above land surface: in . Weight: lbs. / ft. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9 ABS 11. Other (specify) 3. Stainless Steel 5. Fiberglass 1. Steel 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) 2. Brass 4. Galvanized SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 8. Saw cut 10. Other (specify) 2. Louvered shutter 6. Wire wrapped 4. Key punched SCREEN - PERFORATION INTERVAL 30 42 ft. ft., From to From to ft. From ft. ft., to From ft. to ft. 24 **GRAVEL PACK INTERVALS:** ft. to 42 From ft.. From ft. ft. to From ft. to ft., From to ft **GROUT MATERIALS:** 6 Other bentonite hole plug 2. Cement Grout 1. Neat cement 3. Bentonite Grout Intervals: 24 From From to ft.. ft ft., From ft. What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 5. Cess Pool 2. Sewer lines 12. Fertilizer storage 9. Feed yard 6. Seepage pit 3. Watertight sewer line Southeast Direction from well? How many feet? 50 ft. plus LITHOLOGIC LOG LITHOLOGIC LOG From To From Τo topsoil 8 clay 8 fine sand 30 clay 30 medium sand Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or plugged under my jurisdiction and

Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or 3, plugged under my jurisdict was completed on (mo/day/year) 3/2/2015 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/4/2015 under the business name of Harp Well and Pump Service by (signature) Todds. Harp