WATE	R WEI	L RECORD	Form W	WC-5	Division of Wate	r Resources App. No		
	ATION ty: Sed	OF WATER WELL:	Fraction 1/4 1/4	1/4 SW 1/4	Section Number	Township No. T 25 S	Range Number R 1 ☐E ☑W	
						·		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
N 55th St W and W 117 St N · WELL #2 SOUTH WELL					Longitude: (in decimal degrees)			
				Elevation:				
2 WATER WELLOWNED. AC.					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Mike McGinn RR#, Street Address, Box #: 1123 W 4th					Collection Method:			
					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	, 5440, 2	. Seadwi	ck, KS 67135		Est. Accuracy:	3 m, 3-5 m,	5-15 m, □ >15 m	
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).20 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL.20 ft. below land surface measured on mo/day/yr							
ļ _{г—} ,	Pump test data: Well water was							
'	ECT VIELD 50 cmm Well water was A often hours summing ' cmm							
	W - NW - NE - EST. TIELD SWgpm. Wen water was it. after hours pumping							
l " ├ -}	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
3	7 Irrigation Industrial Domestic-lawn & garden Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
ļ.,	S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 8 in. to 60 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface12								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot · ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) . ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 20 ft. to 60 ft., From ft. to ft.								
]			From	ft. to	ft., From	ft. t	o ft,	
	GRAV	EL PACK INTERVALS:	From20	ft. to60	ft., From	ft. t	o ft.	
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is, the nearest source of possible contamination:								
	Septic ta		nes Pit pr ivy	Livestock	ens 🔲 Insecticide	storage Othe	er (specify below)	
	Sewer lin		Sewage lagoon	Fuel storag		l water well		
		ht sewer lines 🔲 Seepage p		Fertilizer st			E-OPEN FIELD	
		n well			from well			
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	JG (cont.) or PLU	GGING INTERVALS	
10	10 35	Clay Fine to Medium Sand		+				
35	55	Very Fine to Medium S	and some clay	+				
55	60	Shale	and-some day	 		***************************************		
 			·	 	-			
		•						
	<u></u> _							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .10/6/2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) .10/6/2015								
Nansas	water W	ell Contractor's License N ss name ofPremier Pur	ue.yx Inis np & Well Service I	water well K nc.	by (signature)		1000	
INSTRUC	CTIONS:	Use typewriter or ball point pen	. PLEASE PRESS FIRML	Y and PRINT cle	arly. Please fill in blanks	and check the correct a	inswers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdbeks.gov/waterwell/index.html								