	rm WWC-5		sion of Water				
	Change in Well Use		irces App. No.		Well ID		
1 LOCATION OF WATER WELL:			ion Number 24	Township Number T 25 S	hip Number Range Number 25 S R 1 □ E ■ W		
County: SEDGWICK NE 1/4 NE 1/							
Business: direction from nearest town or intersection): If at owner's address, check here:							
Address: 10011 N. MERIDIAN							
Address: City: VALLEY CENTER State: KS ZIP: 67147							
3 LOCATE WELL WITH "Y" IN 4 DEPTH OF COMPLETED WELL:							
WIIII A IN Donth(a) Groundy	vater Encountered: 1)2.	99 n.					
SECTION BOX:	Depth(s) Groundwater Encountered: 1)					(decimal degrees)	
WELL'S STATIC	WELL'S STATIC WATER LEVEL:						
■ below land su	■ below land surface, measured on (mo-day-yr))	
	rface, measured on (mo-day-y		(WAAS enabled? ☐ Yes ☐ No)				
w E rump test data. W	Pump test data: Well water was						
"	Vell water was ft		☐ Online Mapper:				
	after hours pumping						
Estimated Yield:	Estimated Yield:15gpm Bore Hole Diameter:11.5 in. to60 ft. and Source:						
S Bore Hole Diamet	in. to						
7 WELL WATER TO BE USED AS:							
	ic Water Supply: well ID		10. 🗌 Oil Fi	eld Water Supply: le	ase		
	6. Dewatering: how many wells?			11. Test Hole: well ID			
	7. Aquifer Recharge: well ID			Cased Uncased Geotechnical			
	8. Monitoring: well ID						
	☐ Air Sparge ☐ Soil Vapor Extraction ☐ Surface ☐ Soil Vapor Extraction ☐ Surface ☐ Inj. of Wa						
4. Industrial Reco				(specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel Fiberglass ■ PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From .30							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool ■ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well							
Other (Specify) Direction from well? EAST Distance from well? 140 ft.							
						O D IMPORTANCE	
10 FROM TO LITHO	DLOGIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGIN	GINTERVALS	
3 17 CLAY							
17 21 SANDY CLAY							
21 24 FINE SAND							
24 35 MED SAND WITH	I LITTLE CLAY						
35 60 BLUE SHALE							
		Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 10/4/2017 and this record is true to the best of my knowledge and helief							
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (pro-dev-year) 10/11/2017							
under the business name of YVEININGEN	. \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Sig	nature				
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							