Coarton of Water Well Sed wick Sed wic
Distance and direction from nearest town or city street address of well if located within city? 1/2 West of Meridian, just North of 77th N. Valley Center, Kansas
2 Water Mellowier. RR#.ST. ADDRESS,BOX #: CITY, STATE 3 LOCATE WELL'S LOCATION WITH AN "X: IN SECTION BOX NW NE SW SE TYPE OF CASING USED: 1. Steel 3. RPM (SR) 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile Blank casing diameter 5 in. to ft., Dia. in. to ft. TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 2. PVC 4. Galvanized 6. Oncrete tile 8. Concrete tile 9.
2 WATER WELL OWNER: RR#,ST. ADDRESS,BOX.#. CITY, STATE: 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX N N N N N N N N N N N N N N N N N N N
R#,ST. ADDRESS,BOX #: CITY, STATE: Valley Center, Kansas 1 LOCATE WELL'S LOCATION WITH AN *X' IN SECTION BOX NOW NE SW SE SW SE TYPE OF CASING USED: 1. Steel 3. RPM (SR) 1. Steel 3. RPM (SR) 1. Steel 3. RPM (SR) 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (Specify) 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (Specify) 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (Specify) 2. Lovarder Level 18. FVD SUBSIDIARY IN Companies and in the state of the state
CITY, STATE: Valley Center, Kansas ZIP CODE: Application Number: 20180255
WHAN X'N SECTION BOX. Depth of groundwater Encountered: WELL'S STATIC WATER LEVEL Pump test data: Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm Well water was Ft. after Nours of pumping @ gpm It. Injection well 12. Other (Specify below) 15. Type Of CASING USED: 15. Steel 16. Ship in the supply of the supply of the supply was administed to Department? 16. Ship in the supply of the supply of the supply was water well Disinfected? Welded Clamped 17. Lawn and garden only of the supply of the supply was water well Disinfected? Was Water Well Disinfected? Welded Clamped 17. Steel 18. Charles was the supply of the supply of the supply was sample submitted to Department? Nours of the supple was sample was sample was sample was administed to Department? Nours of the supple was the supple was sample was sample was water well Disinfected? Welded Clamped 18. Charles was administed to Department? Nours of the supple was sample w
Depth of groundwater Encountered: WELL'S STATIC WATER LEVEL BOTH OF STATIC WATER LEVEL SW STATIC WATER LEVEL BOTH OF STATIC WATER LEVEL SW SW SE SW SE Est. Yield: SW Well water was SW SE Domestic 3. Feedlot 5. Public water supply SW SW SE 1. Domestic 3. Feedlot 5. Public water supply Submitted Depth of groundwater Encountered: WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL STATIC WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. WELL WATER LEVEL Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. From ft. bound in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. Thus and in. to ft. and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. Thus and and and in. to ft. Well water was ft. after hours of pumping @ gpm Bore Hole Diameter in. to ft. Thus and and and in. to ft. and in. to ft. Thus an and graden only 12. Other (Specify Diameter in. to ft. Thus an and graden only 12. Other (Specify Diameter in. to ft. Thus an and graden only 12. Other (Specify Diameter in. to ft. Thus a
Pump test data: Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm Well was a chemical/bacteriological sample submitted to Department? I. Domestic 3. Feedlot 5. Public water supply 2. Irrigation 4. Industrial 6. Oil field water supply 2. Irrigation 4. Industrial 6. Oil field water supply 3. Air conditioning 10. Monitoring well 11. Injection well YES NO 11. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded Welded Clamped Clamped 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile 8. Concrete tile 8. Concrete tile 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 11. Injection well 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.
Est. Yield: gpm Well water was ft. after hours of pumping gpm gpm well water was ft. after hours of pumping gpm in. to ft. and in.
Bore Hole Diameter in. to ft. and in. to ft. and in. to ft. and in. to ft. SW SE SW
WELL WATER total USED AS: 1. Domestic 3. Feedlot 5. Public water supply Submitted to Department? 1. Domestic 3. Feedlot 5. Public water supply Submitted to Department? 2. Irrigation 4. Industrial 6. Oil field water supply Submitted to Department? 3. A provided Clamped Submitted to Department? 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) 7. Fiberglass 9. Other (Specify below) 7. Fiberglass 9. Other (Specify below) 8. Air conditioning 1. Monitoring well 1. Injection well 1. Other (Specify below) 9. Dewatering 1. Injection well 1. Other (Specify below) 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) 1. Steel 3. RPM (SR) 6. Asbestos-Cement 8. Concrete tile 8. Concrete tile 8. Concrete tile 8. Concrete tile 8. Dia. in. to ft., Dia. in. to ft. 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) 8. CREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA 8. Air conditioning 10. Monitoring well 10. Monitoring well 11. Injection well 12. None used (open hole) 1. Steel 3. River (Specify below) 12. None used (open hole) 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Domestic 1. Stainless Steel 1. None (open hole) 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 3. CREEN - PERFORATION INTERVAL From ft. to ft. From ft. to ft.
SW SE
Was a chemical/bacterological sample submitted to Department? Was a chemical/bacterological sample submitted to Department? Was a chemical/bacterological sample submitted to Department? Was Water Well Disinfected? YES NO TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile Blank casing diameter 5 in. to ft., Dia. in. to ft., Dia. in. to ft. Casing height belief and surface: 48 in., Weight: Ibs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft.
Submitted Type of Casing Used: 1. Steel 3. RPM (SR) 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile Blank casing diameter 5 in. to ft., Dia. in. to ft. Dia. in. to ft. Casing height Defends surface: 48 in., Weight: Ibs. / ft. Wall thickness or gauge No. Type of Screen OR Perforation MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) Screen OR Perforation Openings Are: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft.
TYPE OF CASING USED: 1. Steel 3. RPM (SR) 6. Asbestos-Cement 8. Concrete tile Blank casing diameter 5 in. to ft., Dia. in. to ft. Casing height belowd surface: 48 in., Weight: Ibs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft.
1. Steel 3. RPM (SR) 5. Words in in the state of the stat
Blank casing diameter 5 in. to ft., Dia. in. to ft., Dia. in. to ft. Casing height belief of surface: 48 in., Weight: Ibs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft.
Casing height belief and surface: 48 in., Weight: Ibs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) NA 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) NA SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.
From ft. to ft., From ft. to ft.
Tion in the state of the state
From ft. to ft., From ft. to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well
9 Source Incom 11 Fuel storage 44 About 11 House Income 16. Other (specify below)
2. Sewer lines 5. Cess Pool 6. Servey lagoon 14. Abalidon water wen None Apparent
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? How many feet?
From To LITHOLOGIC LOG From To LITHOLOGIC LOG
0 4 compacted clay
4 24 bentonite hole plug
24 42 chlorinated gravel
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and
was completed on (mo/day/year) 10-30-18 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/1/18
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp