KOLAR Document ID: 1454997

WATER WELL			WWC-5 ge in Well Use		vision of Wat			Well ID		
Original Record Correction Chang 1 LOCATION OF WATER WELL:		Fraction		Resources App. No. Section Number		Township Numbe		ige Number		
County:								R	$\Box E \Box W$	
2 WELL OWNER: Business:		I_4 T S R \blacksquare E W recet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here: \Box								
Address:										
Address:										
City: 3 LOCATE WELL		State:	ZIP:							
	4 DEPTH OF COMPLETED WELL: SECTION BOX. Depth(s) Groundwater Encountered: 1)									
SECTION BOX:				Longitude:						
N	WELL'S S		Dry Well		Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
					$\Box \text{ GPS (unit make/model:)}$					
NW NE			yr)		(WAAS enabled? [] Yes [] No)					
	Pump test d				Land Survey Topographic Map					
W E	alter	after hours pumping gpm Well water was ft.				Online Mapper:				
SW SE	after	hour								
	Estimated Y				6 Elevation:ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map					
S	Bore Hole I			Sourc						
1 mile in. to ft. □ Other										
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease										
Household						11. Test Hole: well ID				
🗌 Lawn & Garden		•••••		Cased Uncased Geotechnical						
)		12. Geothermal: how many bores?					
 2. ☐ Irrigation 3. ☐ Feedlot] Air Sparg	Extraction		a) Closed Loop					
4. Industrial							13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Ves No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)										
Brass Galvanized Steel Concrete tile None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Septic Tank		Lateral Line			Livestock Pe	ens	□ Insectic	ide Storage		
Sewer Lines		Cess Pool	Sewage La		Fuel Storage			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Direction from well? ft.										
10 FROM TO		ITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN [,]	GINTERVALS	
	-		•							
ļ]					
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
11 CONTRACTOR	S OR LAND	JWNER'	S CERTIFICATION	N: This wate	this record		nstructed, \Box reco	nstructed,	or \square plugged	
under my jurisdiction Kansas Water Well Co	ontractor's Lic	ense No		ater Well Re	cord was con	mplet	ted on (mo-dav-ve	ear)		
under the business nar	ne of									
KS Department of Health			ELL OWNER and retain (Vater, Geology Section, 10						785-296-3565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										