KOLAR Document ID: 1509453

	WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat ources App. 1			Well ID		
			-	Fraction		ction Numb		Township Numbe		ge Number	
1 LOCATION OF WATER WELL: Fraction County: 1/4					4 ¹ / ₄						
Business: di Address: Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCAT WITH "				IPLETED WELL:		t. 5 Latit	tude:			(decimal degrees)	
	ON BOX:	Depth(s) Gr			Longitude:(decimal degrees)						
	Ν		2) ft. 3) ft., or 4) D D WELL'S STATIC WATER LEVEL:								
				n. y-yr)		Source for Latitude/Longitude:					
NW	NE			-yr)		$(WAAS enabled? \square Yes \square No)$					
		-	Pump test data: Well water was ft.				□ Land Survey □ Topographic Map				
W	E	after	hours			Online Mapper:					
SW SE after				vater wass pumping							
		Estimated Y		or	6 Elevation:ft. Ground Level TOC						
	S	Bore Hole I			Source: Land Survey GPS Topographic Map						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
House			ig: how many wells?			11. Test Hole: well ID					
Lawn	7. 🗆	7. 🗌 Aquifer Recharge: well ID			□C	Cased Uncased Geotechnical			1		
	Livestock 8. Monitoring: well ID										
2. ☐ Irrigati 3. ☐ Feedlo	2. □ Irrigation 9. Environmental Remediation: well 3. □ Feedlot □ Air Sparge □ Soil Vapor					a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water					
4. Indust				Entraction	13. \Box Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
	GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic			Lateral Line			Livestock P	ens	☐ Insectic	ide Storage		
Sewer			Cess Pool	Sewage La		Fuel Storage					
	ight Sewer Li			☐ Feedyard		Fertilizer St	torage	🗌 Oil Wel	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
	├						-				
					Notes:	1	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	iter Well Co	ntractor's Lice	ense No		ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)	, c and benef.	
under the b	usiness nam	e of									
KS Departs				ELL OWNER and retain Vater, Geology Section, 1						785-296-3565	
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212										