			WATER V	VELL REC	CORD	Form W	WC-5	KSA 82a-1	212		
11	TION OF WAT	ER WELL:	FRACTION	OXXI	~~~		CTION NUMBE		HIP NUMBER	RANGE N	
	gwick		NW 1/4		1/4 SW	1/4	1	Т	<b>25</b> S	R 1	W E/W
		om_nearest town or city s			•						
		lley Farms St.		vick, Kans	as						
	TER WELL		L CONSTR	RUCTION					Board of Agri	iculture, Division of	Water Resource
RR#,S	T. ADDRES		W. 21st N. ita, Kansas				ZIP CODE:	67205	Application Man	ala a c	
				01 5750 11151	. 1	^^			Application Nun	nber:	
	TE WELL'S L AN "X" IN SE	CTION BOX:	EPTH OF COM					ELEVATION			
	N	Dep	th of groundwate				ft.		ft.		ft.
		WE	LL'S STATIC W		30		OW LAND S		SURED ON mo/d	lay/yr: 9/18	8/19
1 1	-NM-	-NE-		ump test data:	Well wa	ater was		ft. after		of pumping @	gpr
w Wije			Est. Yield:	gpm		ater was	100	ft. after		of pumping @	gpn
			re Hole Diamete		in.	to	100 ft	t. and	in.	to	ft.
_	SW		LL WATER TO	BE USED AS:	5 Dublic w	atar eunnly	C7 Lawn	and garden or	9. Dewaterir	.9	ction well
	344	1. Domestic 3. Feedlot 5. Public water supply 7 Lawn and garden only 12. Other (Specify below 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well									
			as a chemical/bacte				YES	NO		vhat mo/day/yr v	vas sample
	S		mitted	chological samp	o babililioo to	Борогалот		Water Well Disi			NO
5 T	YPE OF CA	SING USED:	E Manuah	t Ivan	7 Eiborologo	9.0	Other (Specif	v below) CA	SING JOINTS: C	Glued	Threaded
۳	1. Steel	3. RPM (SR)	5. Wrough		7. Fiberglass	, SD	R-26	, ,		Welded	Clamped
	2. PVC	> 4. ABS	<ol><li>Asbesto</li></ol>	s-Cement	8. Concrete t	tile 3D	/K-20				
Blank ca	sing diamet	er 5 ir	n. to	55 ft.,	Dia.	in.	to	ft.,	Dia. ii	n. to	ft.
Casing	height above	e land surface:	12 in		Weight:	2.35	lbs. / ft.	Wall	hickness or gauge	e No214	
1	_	OR PERFORATION I								.214	
1. Ste		3. Stainless Steel	5. Fiberglass	7	. PVC	9. A	\BS	11. C	other (specify)		
2. Bra	iss 4	1. Galvanized	6. Concrete	Tile 8	. RMP (SR)	10. A	Asbestos-Cei	ment 12. N	lone used (open h	nole)	
COBEEN	OD DEDEC	DRATION OPENINGS	ADE.								
	inuous slo			Gauzed wrap	ned	7 <b>T</b> c	orch cut	9. Dri	iled holes	11. None ( o	nen hole)
										THE NOTICE ( C	pon noie)
2. Louv	ered shutte	er 4. Key pur	nched 6.	Wire wrapped	d	8. 58	w cut	10. Oti	ner (specify)		
SCREEN	- PERFORA	ATION INTERVAL	From	<b>55</b> ft.	to	100	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
	SRAVEL PA	CK INTERVALS:	From	24 ft.	to	100	ft.,	From	ft.	to	ft,
			From	ft.	to	)	ft.,	From	ft.	to	
a GPO	IST MATERI	ALC:									ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout  Grout Intervals: From ft. to ft From							3. Bentonite			nite hole plu	(0
		From purce of possible conf		ft.,	From	<b>4</b> ft.	to	24 ft.,	From 60	ft. to	<b>62</b> ft.
1. Septi		4. Lateral li	7	. Pit privy	1	0. Livestoo	k pens	13. Insec	ticide storage	15. Oil well/G	as well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (spe									cify below)		
	rtight sewe			. Feed yard	1	2. Fertilize	r storage			None	Yet
	from well?	rime o occpago	, pit	,				How m	any feet?		
From	То	LI	THOLOGIC	CLOG		From	To		LITHOLOG	GIC LOG	
0	3	topsoil									
3	41	clay									
41	60	fine to medium	sand								
60	100	grey shale									
						-					
Contr	actor's or La	andowner's Certificati	on: This water v	well was 1. 🔾	constructed	) 2. red	onstructed	or 3.	<b>plugged</b> und	der my jurisdictio	n and
was completed on (mo/day/year) 9/18/19 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 9/20/19											
under the business name of Harp Well and Pump Service by (signature)  Todd S. Harp											