		WATER WE	ELL RECO	RD Fo	rm WM	VC-5 KS	SA 82a-1	212				
1 LOCATION OF WATER						SECTION NUMBER TOWNSHIP NUMBER				RANGE NUMBER		
Sedgwick		NE 1/4	NE 1/4		1/4	25	T	25 S	R	1W	EW	
Distance and direction from the 748 N. Wakefie			nter, Kans	•								
2 WATER WELL OW		SON, James	nter, Kans	45				, , , , , , , , , , , , , , , , , , ,				
RR#,ST. ADDRESS,B		. Wakefield						Board of A	Agriculture, Divisi	on of Wate	r Resource	
CITY, S	TATE: Valle	y Center, Ka	nsas		ZI	P CODE:		Application I	Number:			
3 LOCATE WELL'S LOCA	ATION 4	EPTH OF COMP	LETED WELL:	40	ft.		ELEVATIO	N:				
N N		th of groundwater	Encountered:		ft.			ft.	:	•	ft.	
	WE	LL'S STATIC WA		15	FT. BELO	W LAND SU	RFACE MEA	ASURED ON m	o/day/yr:	9/30/2	0	
NW	NE		np test data:	Well wate			ft. after		urs of pumping	-	gpm	
₩ ¥		Est. Yield: ore Hole Diameter	gpm 12	Well water		10 ft.	ft. after and	họ in.	urs of pumping	l@c to	gpm ft.	
= " X		LL WATER TO BE				ro 11.	anu	9. Dewat	orina 11	. Injectio		
sw	9E 1.	Domestic 3.	Feedlot 5.	Public wate	r supply	7. Lawn a	nd garden o	only	12. Oth	•	ify below)	
		•	-	Oil field wa				10. Monito	o ring well s, wh <u>at</u> mo/da	wher were	gample	
s		/as a chemical/bacteri pmitted	iological sample s	submitted to De	partment?	YEŞ Was W	NO fater Well Di		YES	y/yi was		
5 TYPE OF CASIN	IG USED:	5. Wrought I	Iron 7	Eihemless	9. O	ther (Specify	below) (ASING JOINTS	Glued	П	hreaded	
1. Steel	3. RPM (SR	.)	•	Fiberglass	SDI	R-26			Welded	С	lamped	
2. PVC	4. ABS	6. Asbestos		Concrete tile								
Blank casing diameter	•	10	30 ft.,	Dia.	in.	to	ft.,	Dia.	in. t	0	ft.	
Casing height above la		12 in.,	V	Veight: 2	2.35 H	bs. / ft.	Wa	I thickness or ga	auge No.	.214		
TYPE OF SCREEN OR 1. Steel 3. S	R PERFORATION Stainless Steel	MATERIAL: 5. Fiberglass	7.5	PVC	9. A	RS	11.	Other (specify)				
	Galvanized	6. Concrete Ti		RMP (SR)		sbestos-Cem		None used (op	en hole)			
SCREEN OR PERFOR	ATION OPENING	S ARE:				•						
1. Continuous slot	3. Mill slo	-	auzed wrappe	ed	7. To	rch cut	9. D	rilled holes	11. No	ne (ope	n hole)	
2. Louvered shutter	4, Key pu	nched 6. V	Vire wrapped		(8. Sa	w cut	10. 0	Other (specify)				
SCREEN - PERFORATI	ON INTERVAL	From	30 ft.	to	40	ft.,	From	ft.		•	ft.	
		From	ft.	to	40	ft.,	From	ft.		0 D	ft.	
GRAVEL PACK	(INTERVALS:	From	24 ft.	to	40	ft.,	From	ft.		0	ft.	
		From	ft.	to		ft.,	From	ft.	t		ft.	
6 GROUT MATERIAL	S: 1. Neat c		2. Cement C			3. Bentonite			ntonite hol			
Grout Intervals:	From	ft. to	ft.,	From	ft.	to	ft.,	From	4 ft.	to 24	ft.	
What is the nearest sour		7	Pit privy	10	Livestoc					well/Gas		
1. Separation 4. Englishman 4.												
2. Sewer lines	5. Cess Po	-	Feed yard		. Fertilizer	•	14. AD	indon water we	H		,	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 1 Direction from well? East						oto.rgo	How	many feet? 10) ft. plus			
From To		ITHOLOGIC	LOG		From	То			OGIC LO	G		
1,11	opsoil											
	lay ine sand		·		,,,							
	nedium sand											
	·					ļ	****					
												
									4			
			.,									
		· · · · · · · · · · · · · · · · · · ·										
7 Contractor's or Lai	ndowner's Certific	ation: This water v	well was 1. Co	onstructed) 2. re	constructed	or 3.	plugged	under my ju	nsdiction	and .	
was completed on (m	o/day/year)	9/30/2020	and t	this record is	true to the	best of my k	nowledge ar	nd belief.				
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/2/2020												
under the business na	ame of Harp \	under the business name of Harp Well and Pump Service by (signature) Todd S. Harb										