LOCATION OF WATER WELL: SEDGNICK Fraction SSW 1/4 SW 1/4 SW 1/4 SECTION North & Ridge Road Wight a, Kansas WATER WELL OWNER: W, Staddress, Box #: 2551 Greenleaf Wichita, Kansas Water Well Downer: Wight a, Kansas Board of Agriculture, Division of Water R Application Number: Well's STATIC WATER LEVEL 15 Depth(s) Groundwater Encountered 1 Depth(s) Groundwater Encountered 1 Well's STATIC WATER LEVEL 15 Well water was ft. after hours pumping Bore Hole Diameter 1 Downestic 3 Feedlot Well WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well Was a chemical/bacteriological sample submitted to Department? Yes. No. XX. if yes, mo/daylyr sample Water Well Disinfected? Yes XX No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX. Clamped I Steel 3 BMP (SR) The ABS Range Number T T vomship Number Township N	esource ft. gpn ft
ance and direction from nearest town or city street address of well if located within city? Lot 7 85th North & Ridge Road Wichta, Kansas WATER WELL OWNER: State, ZIP Code: State, ZIP Code: Wichita, Kansas Application Number: OCATE WELL'S LOCATION WITH N'" IN SECTION BOX: WELL'S STATIC WATER LEVEL . 15 . ft. below land surface measured on mo/day/yr 4-26-86 . Pump test data: Well water was . ft. after hours pumping . Est. Yield gpm: Well water was ft. after hours pumping in. to in. to in. to in. to water Well Disinfected? Yes XX No YPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . XX . Clamped in. to 25 . ft., Dia in. to	esource ft. gpn ft
NATER WELL OWNER: #. St. Address, Box #: ** St. Address, Box #: ** State, ZIP Code: ** Wichita, Kansas ** Depth of COMPLETED WELL. ** Depth of COMPLETED WELL. ** Depth of Completed Use o	ft. gpn gpn fi
WATER WELL OWNER: 4. St. Address, Box #: State, ZIP Code: Wichita, Kansas Depth(s) Groundwater Encountered 1	ft. gpn gpn fi
State, ZIP Code : Wichita, Kansas	ft. gpn gpn fi
State, ZIP Code : Wichita, Kansas Application Number: DCATE WELL'S LOCATION WITH A DEPTH OF COMPLETED WELL 40 ft. ELEVATION: WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 4-26-86. Pump test data: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Bore Hole Diameter 11 in. to ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes. No. XX. If yes, mo/day/yr sample mitted Water Well Disinfected? Yes XX No YPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX. Clamped mitted water supply 9 Other (specify below) Welded. 1 Steel 3 BMP (SB) 6 Asbestos-Cement 9 Other (specify below) Welded. 2 PVC 4 ABS 7 Fiberglass Cer-Mac styrene SDR-26 Threaded. k casing diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to mg height above land surface. 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify).	ft. gpn gpn fi
DCATE WELL'S LOCATION WITH 4 Depth OF COMPLETED WELL 4Q. ft. ELEVATION: Depth(s) Groundwater Encountered 115. ft. 2	ft. gpn ft w) was su
Depth(s) Groundwater Encountered 1 . 15 . ft. 2 . ft. 3. WELL'S STATIC WATER LEVEL 15 . ft. below land surface measured on mo/day/yr 4-26-86. Pump test data: Well water was . ft. after . hours pumping . Est. Yield . gpm: Well water was . ft. after . hours pumping . Bore Hole Diameter . 11 . in. to	ft. gpn ft w) was su
Pump test data: Well water was ft. after hours pumping Bore Hole Diameter 11 in. to ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes	gpn gpn ft w) was su
Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 11 in to ft., and in to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 2 Inrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes NoXX; If yes, mo/day/yr sample water Well Disinfected? Yes XX No YPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX. Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass Cer-Mac styrene SDR-26 Threaded 1 Steel 25 ft., Dia in to ft., Dia	w) was su
Bore Hole Diameter . 11	w) was su
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes	w) was su
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes	was su
Threaded. Second	was su
Was a chemical/bacteriological sample submitted to Department? Yes	was su
S mitted Water Well Disinfected? Yes XX No YPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped 1 Steel 3 RMP_(SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Cer-Mac styrene SDR-26 Threaded k casing diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft., Dia in. to in. to ft., Dia ft., Dia in. to ft., Dia in. to ft., Dia	
YPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . XX . Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
1 Steel 3 BMP_(SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass Cer-Mac styrene SDR-26 Threaded	
ink casing diameter	
ing height above land surface	
TE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
1,000	
EEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open h)le)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
REEN-PERFORATED INTERVALS: From	
From	ft
GRAVEL PACK INTERVALS: From 14 ft. to	ft
From ft. to ft., From ft. to	ft
ROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
ut Intervals: From	
at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we	11
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent	
ction from well? How many feet? IOM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
3 Topsoil	
17 Clay	
7 26 Fine Sand	
5 40 Medium Sand	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction a	nd wa
pleted on (mo/day/year) 4-26-86 and this record is true to the best of my knowledge and belief.	
oleted on (mo/day/year) 4-26-86	
pleted on (mo/day/year) 4-26-86 and this record is true to the best of my knowledge and belief.	Kansa