WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	y Fraction			Section number			hip number	Ran	Range number		
. Location of well:	Stafford	1/4	1/4 CNE	1/4	1	6	T	25	S R	11		
2. Distance and dire	ection from nearest town or city:	Famil		3. Owr	ner of well	l: X	XXXX	Steve Pa	ulsen			
8½ mi. southeast of Stafford Street address of well location if in city:					street:		Route 2					
The detailed of the following the control of the co					tate, zip	code:	Stafford, KS 67578					
4. Locate with "X" in section below: Sketch map:							6. Bore hole dia. 24 in. Completion date 5-25-7					
N							Well depth 92 ft.					
							7 Cable tool Rotary Driven Dug					
NW 30E							Hollow rod Jetted Bored X Reverse rotary					
W								8. Use: Domestic Public supply Industry				
[w [X Irrigation Air conditioning Stock Lawn Oil field water Other				
SW SE					-			9. Casing: Material Steel Height: Above r below				
							Threaded WeldedX_Surfacein.					
	\$						RMP	PVC	Wei	ight <u>30 3</u>	lbs./ft.	
I 1 A	Mile ————						Dia. 24	tin. to 40 ft.	depth Wa	II Thickness: i	nches or	
5. Type and color of material					From	То	-	± in. to 72 ft.			a	
							10. Scr	een: Manufactur	er's name _	Doerr		
top soil & brown clay					0_	8	Type Double-slot Dig. 1611					
•							(Slot) ga	uze 1/811	Lens	gth _40 *		
sand & gr	ravel				8	24	Set bet	ween 40	ft. ar	м <u>60</u>	ft.	
brown & white clay					04	30		72 pack? yes si			8-200	
					Ť-			tic water level:			o./day/yr.	
sand Example 1					ВО	34		ft. below lar				
BROWN & white clay					,	,,		mping level below				
BROWN & white clay					B4	43	ft. after hrs. pumping g.p.m ft. after hrs. pumping g.p.m.					
sand & gravel					43	55						
hwarm 01 0 1:						7.6		ed maximum yield				
DLOMU & 8	gray clay & limes	tone			55	72		iter sample submit Yes <u>X</u> No			ю./day/уг.	
sand & gr	rave1				72	90		Il head completic		· ·····	·	
_						ĺ	Pitless adapter Inche			_ Inches abov	e grade	
gray clay					90	92	15. We	ll grouted? <u>V</u> e	s			
								Neat cement			_ Concrete	
					1		Depth:	From 0 f	NOWN	ft.		
								NONE K				
								Direction isinfected upon c			No	
					+		17. Put			Not installed		
							Manufo	acturer's name $ {f B} $				
							Model	number <u>1202</u>	М- З нр	<u>60</u> v	olts	
	•				1			of drop pipe	ft.	capacity 9	UUg.p.m.	
							Туре	: Submersible		_X_Turbi	ine '	
			,				1 _	Jet			procating	
	(Use a sec	cond sheet if needed)						Centrifugal		Othe	-	
18. Elevation:	19. Remarks:						1	ater well contrac				
								ell was drilled un	, ,		his report	
Topography:							1	to the best of my	knowledge	and belief.	7	
Hill							Busines	ke Well	& Eq.	Inc.	185 icense No.	
Slope							Addres	Great, B	end. I	(Sex 675		
Upland							Signed	_CA	W- <u>(</u>	and a	<u>5-28-</u>	
Valley	Į.						Jaginau	Authorize	d represent	ative	-	