WATER WELL RECORD	Form W	WC-5	Division of	Water Resources App. N	0.	
1 LOCATION OF WATER WELI	: Fraction		Section Numb	er Township No.	Range Number	
County: Stafford	1/4 SW 1/4 SW	1/4 NF 1/4	24	T 25 S	R 12 □E 🕟 W	
Street/Rural Address of Well Location; if unknown, distance & direction				ning System (GPS) is		
from nearest town or intersection: If at owner's address, check here .			I	Latitude: (in decimal degrees)		
6S of Stafford, KS		Elevation:	Longitude: (in decimal degrees) Elevation:			
2 WATER WELL OWNER: Virgil Rice				Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Virgil Rice RR#, Street Address, Box #: 573 NE 30th St.			Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Stafford, KS67578		Digital Ma	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Starrord, KS07576			Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
			(2)			
SECTION BOX: Depth(s) G	Depth(s) Groundwater Encountered (1)					
	WELL'S STATIC WATER LEVEL4ft. below land surface measured on mo/day/yr.11/.02/.10 Pump test data: Well water wasft. afterhours pumpinggpm					
LECT VIET	EST VIELD 50 amm Well water was 4 often hours numning and					
W NW NE EST. FIELD. Stgpm. Well water was						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel XX PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 5 in. to 21 ft., Diameter ft., Diameter ft.						
Casing height above land surface12						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From						
From						
Grout Intervals: From0 ft. to20 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
Septic tank						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well noneinfield Direction from well						
Direction from well						
	LOGIC LOG	FROM	TO LITHO	J. LOG (cont.) or PLC	UGGING INTERVALS	
0 2 top soil						
2 5 clay 5 39 sand and grave	1 1					
5 39 sand and grave	clay bottom					
	· · · · · · · · · · · · · · · · · · ·				, ,	
		<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖾 constructed, 🗆 reconstructed, or 🔲 plugged						
under my jurisdiction and was completed on (mo/day/year) .11/02/10 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 11/03/10 under the business name of Kelly's Water Well Service. Inc. by (signature) Lathur & Gond						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212						
NOA 020-1212						