WATER W	VELL RECORD	Form W	WC-5	Division of Water	Resources App. No	_{).}	
	ON OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County:		1/4 SE 1/4 NE		17	T 25 S	R 12 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
5 3/4 South, 3 1/2 West of Stafford				Longitude: (in decimal degrees) Longitude: (in decimal degrees)			
0 0/4 00	outil, 5 1/2 vvest of otalion		Elevation:				
2 WATER WELL OWNER: Tim Fisher				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 387 S HWy 281				GPS unit (Make/Model:)			
City, State, ZIP Code : St. John, KS 67576				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:							
WITH AN	"X" IN 4 DEPTH OF	COMPLETED WELI	L 80	ft.			
SECTION	BOX: Depth(s) Ground						
	N WELL'S STATIC WATER LEVEL30 ft. below land surface measured on mo/day/yr3-18-14 Pump test data: Well water was						
EST VIELD N/A come Well vieter vies & effect being averaging							
w - NW - - NE - EST FIELD INAgpm. Well water was							
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							
SW-XSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☑ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ✓ Yes □ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5 in. to .80 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight .SDR .26 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From 80 ft. to 20 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None							
	from well			rom well		• • • • • • • • • • • • • • • • • • • •	
FROM TO	D LITHOLOG	IC LOG	FROM	TO LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 4	Top soil						
4 27 27 52	Tan clay Sandy clay & fine sand						
52 80	Sand & gravel- small to	med					
-			-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .3-18-14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-22-14							
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I nelude fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy							