WATE	R WEI	LL RECORD	Form W	WC-5	Di	vision of Wate	er Resources App. N	o		
1	ATION ity: Staf	OF WATER WELL: ford	Fraction 1/4 NW 1/4 NW	/ ½ NW ½		on Number 3	Township No. T 25 S	Range Number R 12 □E ☑W		
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:				
		own or intersection: If at o		Latitude: .37.91112. (in decimal degrees)						
3.1/	3 1/4 South, 1 1/2 West of Stafford					Longitude: 098.63477 (in decimal degrees)				
0 17	o n restan, r nz rrest er stanere						Elevation:			
2 WA	TED W	ELL OWNED	^				4, 🔽 NAD 83, 🗀	] NAD 27		
1	2 WATER WELL OWNER: Hearn Cattle Company RR#, Street Address, Box #: 74 NE 90th Avenue				Collection Method:  GPS unit (Make/Model:)					
City, State, ZIP Code : Stafford, KS 6							☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	, 2,	- Stalloru	, NO 01010					] 5-15 m, □ >15 m		
3 LOCATE WELL 125										
1		AN "X" IN 4 DEPTH OF COMPLETED WELL 135 ft.								
SEC	TION BO N	Depth(s) Groundwater Encountered (1)								
1	DOT MICH NIA WILL CO.									
	Well water was									
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Sw Sp Domestic Feedlot Oil field water supply Dewatering  Other (Specify below)										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock										
ļ!	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
S If yes, mo/day/yr sample was submitted										
1 mile  Water well disinfected? ☑ Yes □ No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded										
Casing diameter 5 in. to .135 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)										
SCREE	N-PERF									
	GR AVI	EL PACK INTERVALS:	From 135	n. 10		It., From	π.	to ft.		
	OICA VI									
From										
Grout In	itervals:	From ft. to	ft., From	, 20	ft. to	ft.,	From	ft. toft.		
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								ner (specify below)		
Sewer lines Cesspool Watertight sewer lines Seepage pit										
		n well		☐ Fertilizer s			as well			
FROM	TO	LITHOLOG		FROM	TO			JGGING INTERVALS		
0	5	Sandy top soil			<del></del>					
5	49	Sandy tan clay & sand	streaks	1						
49	64	Sand								
64	83	Fine sand w/ clay strea	ks							
83	104	Tan clay								
104	115	Sand & gravel- small w/clay streaks								
115	119	Tan clay								
119	135	Sand & gravel- small to	med							
T CONTRACTORIS OR LANDOWIND OR CORPUTE CATTORY THE STATE OF THE STATE										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) .5-19-15										
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)										
INSTRUC	TIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRMLY	and PRINT cl	early. Ple	ase fill in blanks	and check the correct	answers. Send one copy to		
	Kansas De	partment of Health and Environm	nent, Bureau of Water, Geo	logy Section, I	000 SW J	Jackson St., Suit	e 420, Topeka, Kansa	is 66612-1367.		
l elephor	ne 785 <b>-</b> 296	-5524. Send one copy to WATE				Include fee of \$	55.00 for each construc	ted well. Visit us at		
		······	http://www.kdheks.gov	//waterwell/inde	x.mmi.					