

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | | |
|--|--|---------------------------|--|----------------------------|---|--------------------------------|
| 1. Location of well: | | County Stafford | Fraction 1/4 1/4 CSW 1/4 | Section number 9 | Township number T 25 S | Range number R 12 EW |
| 2. Distance and direction from nearest town or city: 8 mi. Southwest of Stafford, KS Street address of well location if in city: | | | 3. Owner of well: Don Fritzmeier R.R. or street: Route 1 City, state, zip code: Stafford, KS 67578 | | | |
| 4. Locate with "X" in section below: <div style="text-align: center;">N 1 Mile W E S 1 Mile</div> | | | Sketch map: <div style="text-align: center;">N 1 Mile W E S 1 Mile</div> | | | |
| 5. Type and color of material | | | From | To | 6. Bore hole dia. 24 in. Completion date 6-15-76 Well depth 116 ft. | |
| Top soil | | | 0 | 2 | 7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | |
| Brown clay, gray clay & limestone | | | 2 | 24 | 8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other | |
| Sand, sandy clay & limestone | | | 24 | 35 | 9. Casing: Material Steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface XX 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 30.3 lbs./ft. Dia. 16 in. to 36 ft. depth Wall Thickness: inches or Dia. 16 in. to 76 ft. depth gauge No. 7 ga. | |
| Sand & gravel | | | 35 | 45 | 10. Screen: Manufacturer's name W. A. Brown (B) & Doerr (D) Type Double-slot Dia. 16" Slot/gauge 1/8 Length 50' Set between (B) 36 ft. and 46 ft. (D) 76 ft. and 116 ft. Gravel pack? Yes Size range of material 3/8-200 | |
| Brown & gray clay & limestone | | | 45 | 69 | 11. Static water level: 14 ft. below land surface Date 5-21-76 mo./day/yr. | |
| Sand & clay streaks | | | 69 | 78 | 12. Pumping level below land surfaces: N/C ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m. | |
| Sand & gravel | | | 78 | 116 | 13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date | |
| | | | | | 14. Well head completion: Pitless adapter 12 inches above grade | |
| | | | | | 15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft. | |
| | | | | | 16. Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | |
| | | | | | 17. Pump: Not installed Manufacturer's name FMC Corp./Peerless Model number 12LB-3 HP 80 Volts Length of drop pipe 70 ft. capacity 900 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | |
| 18. Elevation: | | | 19. Remarks: | | | |
| Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley | | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Clarke Well & Eq., Inc. 185 Business name License No. Address Great Bend, KS Signed [Signature] Date 6-22-76 Authorized representative | | | |