478 13211 WATER WE	Stock LL RECORD	Form W	WC-5	Div	vision of Water	r Resources App. No		
	OF WATER WELL:	Fraction	.,		on Number	Township No.	Range Number	
County:	- · · · · ·	1/4 SE 1/4 SE	1/4 SW 1/4		10	T 25 S	R 13 □E 🛛 W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here					Latitude: 37.883697 (in decimal degrees) Longitude: -98.739593 (in decimal degrees)			
Approximately 8 miles south and 1 mile east of St. John.					Longitude: -98.739593 (in decimal degrees) Elevation: Unknown			
					tion:	4, ⋈ NAD 83, □	 NAD 27	
2 WATER WELL OWNER: Jenny Grunder					tion Method:		NAD 21	
RR#, Street Address, Box #: 122 S. Main					GPS unit (Make/Model: WAAS			
City, State, ZIP Code : St. John, KS 67576					□ Digital Map/Photo, □ Topographic Map, □ Land Survey Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m			
3 LOCATE WELL							J-13 III, > 13 III	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 5/ ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1) WELL'S STATIC WATER LEVEL 22 ft. (2) ft. (3) ft. (3) T2/17/14 ft.								
WELL'S STATIC WATER LEVEL 22 ft. below land surface measured on mo/day/yr 12/1//14								
Pump test data: Well water was not checked ft. after hours pumping gpm								
-NWNE EST. YIELD gpm. Well water was ft. after hours pumping gpm								
W Bore Hole Diameter 9 in. to 60 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
☐ Demostic ☐ Feedlet ☐ Oil field water supply ☐ Dewatering ☒ Other (Specify below)								
-SWSE Domestic Feeding Off field water supply Bewatering Wonter (specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Stock								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel PVC Other								
CASING IOINTS: M Glued								
Casing diameter 5 in. to 35 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214								
Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 35 ft. to 55 ft., From ft. to ft.								
SCREEN-PER	FORATED INTERVALS	: From 33	ft. to'		ft., From	II. U	ο π. ο ft.	
GP A	VEL PACK INTERVALS	From 20	ft to	60	ft From		to ft.	
JORA	VELTACK INTERVALS		ft. to		ft., From	ft. t	o ft.	
COPOLIT MATERIAL. Next sement Coment group Pentanite Other								
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None Known								
Direction from well Distance from well								
FROM TO	LITHOLO	GIC LOG	FROM	TO		OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 3	Topsoil		59	60	Caliche			
3 11	Clay, brown, sandy							
11 15	Clay, gray							
15 18	Clay, brown, caliche	4444						
18 30	Clay, gray	licho						
30 34 34 36	Clay, white, gray, ca		 					
36 55	Sand, gravel, fine to		-					
30 33	clay streaks	Journey, trill yourse						
55 59	Clay, yellow, white, o	aliche						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was \(\sigma\) constructed, \(\sigma\) reconstructed, or \(\sigma\) plugged								
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 12/22/14								
under the busin	ess name of Clar	ke Well & Equipment	I, INC.	by (s	ignature)		the company Condidate and the condition of the condition	
I (white blue pink	Use typewriter or ball point point to Kansas Department of Heal	th and Environment, Bureau	of Water, Geo	ology Sect	ion. 1000 SW J	ackson St., Suite 420.	Topeka, Kansas 66612-1367.	
Telephone 785-29	96-5522. Send one copy to WA	TER WELL OWNER and re	etain one for y	our recor	ds. Include <u>fee</u>	of \$5.00 for each <u>co</u>	nstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								