WATE	R WE	LL RECORD	Form WWC-5	Division of Water Resources App. No.	
		OF WATER WELL:	Fraction	Section Number Township No. Range Number	
	ıty: Sta		1/4 SE 1/4 SW 1/4 SE		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					
			owner's address, check here	Latitude:	
6 1/2 South, 1 1/2 West of St. John				Elevation: (In decimal degrees)	
<b>3 33</b> 7.4	TED W	ELL OWNED.		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
		ELL OWNER: Alan Ca		Collection Method:	
RR#, Street Address, Box #: 263 Coleman Loop City, State, ZIP Code : Homer, LA 71040				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
	, = ,	nomer,	LA / 1040	Est. Accuracy:	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .75					
	H AN "X TION BO			ft. (2) ft. (3) ft.	
SEC	N	- F (-)		ft. below land surface measured on mo/day/yr. 10-16-14	
		Pump	test data: Well water was	ft. after hours pumping gpm	
N'	a'   N	EST. YIELD. N/	Agpm. Well water was	ft. after hours pumping gpm	
W Bore Hole Diameter 10 in. to .75 ft., and in. to ft.  WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
I Industrial Demostic lover & gorden Demostration Stock					
Was a chemical/bacteriological sample submitted to Department?  \( \square\) Yes \( \sqrace\) No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? ✓ Yes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .5 in. to .75 ft., Diameter in. to					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Description Description Control of the					
What is the nearest source of possible contamination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ▼ ☐ Oil well/gas well					
Dire	ction fro	m well East	Distar	nce from well100ft	
FROM	TO	LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	13	Top soil			
13	24	Clay Sand & gravel			
24	40	Clay			
40	65	Sand & gravel			
65	75	Clay			
	ļ				
	-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged					
under m	under my jurisdiction and was completed on (mo/day/year) .10-16-14 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 10-21-14					
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
NOA 828	-1212			Check: White Copy, Blue Copy, Pink Copy	