

1 LOCATION OF WATER WELL: County: STAFFORD Fraction SW 1/4 SW 1/4 SW 1/4 Section Number 3 Township Number T 25 S Range Number R 14 EW Distance and direction from nearest town or city street address of well if located within city? 5-S 1-E OF DILLWYN, KS.

2 WATER WELL OWNER: DOYLE WILSON RR#, St. Address, Box #: RT. 1 BOX 11 City, State, ZIP Code: MACKSVILLE, KS. 67557 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: (Diagram showing a 2x2 grid with NW, NE, SW, SE quadrants and an 'X' in the SW quadrant) 4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION: ... WELL'S STATIC WATER LEVEL: 4 ft. below land surface ... Pump test data: Well water was ... Est. Yield ... Bore Hole Diameter ... WELL WATER TO BE USED AS: 5 Public water supply, 8 Air conditioning, 11 Injection well, XX Domestic, 3 Feedlot, 6 Oil field water supply, 9 Dewatering, 12 Other (Specify below), 2 Irrigation, 4 Industrial, 7 Lawn and garden only, 10 Monitoring well ... Was a chemical/bacteriological sample submitted to Department? Yes ... No ... X ...; If yes, mo/day/yr sample was submitted ... Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 1 Steel, 3 RMP (SR), 5 Wrought iron, 8 Concrete tile, CASING JOINTS: Glued X, Clamped, Welded, Threaded. XX PVC, 4 ABS, 6 Asbestos-Cement, 9 Other (specify below) Blank casing diameter: 5 in. to 30 ft., Dia. in. to ... Casing height above land surface: 12 in., weight ... lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless steel, 5 Fiberglass, 8 RMP (SR), 10 Asbestos-cement, 2 Brass, 4 Galvanized steel, 6 Concrete tile, 9 ABS, 11 Other (specify), 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, XX Mill slot, 5 Gauzed wrapped, 8 Saw cut, 11 None (open hole), 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 9 Drilled holes, 7 Torch cut, 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 30 ft. to 40 ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From 23 ft. to 40 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, XX Bentonite, 4 Other Grout Intervals: From 3 ft. to 23 ft., From ... ft. to ... ft., From ... ft. to ... ft. What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 14 Abandoned water well, 2 Sewer lines, 5 Cess pool, 8 Sewage lagoon, 11 Fuel storage, 15 Oil well/Gas well, 3 Watertight sewer lines, 6 Seepage pit, 9 Feedyard, 12 Fertilizer storage, 16 Other (specify below), 13 Insecticide storage, NONE Direction from well? How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Data: 0 to 3 TOP SOIL, 3 to 14 CLAY, 14 to 40 GRAVEL.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-21-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 462 B This Water Well Record was completed on (mo/day/yr) 10-21-91 under the business name of SAM'S WATER WELL SERVICE by (signature) Vera K...