WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

| | | | | | | 1 | | 1 |
|--|---------------------------------------|------------------------------|-----|---|----------|---|--|-------------------|
| 1. Location of well: | County | Fraction | _ | Section number | | Township number | Range number | |
| | STAFFOYD | JETUVA SEVASE | 1/4 | 6 | 3 | 1 -2 5 E | <u> </u> | |
| 2. Distance and direction from nearest town or city: 3 Swith Markille | | | | 3. Owner of well: Alectional Strilling CV. Inc. | | | | |
| Street address of well location if in city: | | | | R.R. or street: 01 / CENTERCULL City, state, zip code: freat Beneficies | | | | |
| 4. Locate with "X" in section below: Sketch map: | | | | , zip (| 7 | | . Completion date 7-4-7 | 16 |
| A. Locate with "X" I | | overen mab: | | | | Well depth 62ft. | . comprehensit dute | |
| T | ! | | | | | 7 Cable tool 上 Rotary | Driven Dug | 1 |
| vw | NE | | | | | Hollow rod Jetted | Bored Reverse rotary | 1 |
| • w | <u> </u> | | | | | 8. Use: Domestic P | .,, , | |
| : w | | | | | | | ir conditioning Stock il field water Other | |
| sw | SE | | | | | 9. Casing: Material | | 1 |
| <u> </u> | , x | | | | | Threaded Welded 🙏 | | |
| S 1 Mile | | | | | | PVC X Dio 2 in. to 62ft. dep | Weight lbs./ft. | 1 |
| 5. Type and color of | | | | From | То | Dia in. to ft. dep | oth gage No. 40 1 | 7 |
| | | | | | | 10. Screen: Manufacturer's | |] |
| | | | | | | To Slate | Dig | |
| | Q1 | | | | , | Type | Length | |
| | - Clay | | | 0 | 13 | | _ft, andft. | |
| | Sand | 4 olans | | 15 | 50 | Gravel pack? A Size ro | andft. ange of material <u>#X ///</u> |] |
| | <i>a</i> 0 | | | | 6 Y | 11. Static water level: | mo./day/yr. | .1 |
| | granex | | 7 1 | 50 | 6 | ft. below land su | rface Date <u>7-6-76</u> | |
| | | | | | | 12. Pumping level below lan | d surfaces: | |
| | V | | | | | ft. after | hrs. pumping <u>SO</u> g.p.m. hrs. pumping <u> </u> | |
| | | | | _ | | Estimated maximum yield — | 60 gck g.p.m. | _ |
| | | | | _ | | 13. Water sample submitted: | | · |
| | | | | | | Yes No 14. Well head completion: | Date | 4 |
| | | ******* | | 1 | | Pitless adapter | / 2 Inches above grade | |
| | | | | - | | 15. Well grouted? | |] I., |
| | | | | | | With: Neat cement Depth: From ft. to | | - 1 |
| | | | | | | 16. Negrest source of possib | | 1 10 |
| | | | | + | | ft Direction | Туре | |
| | | | | | | Well disinfected upon compl | | N |
| | | | | | | 17. Pump: Manufacturer's name | Not installed | ~ |
| | | | | | <u> </u> | Model number | HP Volts | [2] |
| | · · · · · · · · · · · · · · · · · · · | | | | | Length of drop pipe | ft. capacityg.p.m. | 8 |
| | | | | | | Type: Submersible | Turbine | |
| | | | | | | Jet | Reciprocating | [] |
| | 1 | sheet if needed) | | <u> </u> | | Centrifugal | Other | - in |
| 18. Elevation: | 19. Remarks: | | | | | 20. Water well contractor's This well was drilled under a | certification: my jurisdiction and this report | '*\ |
| | | | | | | is true to the best of my kga | | ~ V |
| Topography: | | | | | | mus wo | W Well Sin | T ₂ V. |
| Hill Slope | | | | | | Busi fiess name | Ben Trus | K4/2 |
| Upland | | | | | | Signed Acharles | 0 m/x 13 | 12公 |
| Valley | | | | | | Authorized re | presentative | コラル |
| Forward the white, bl | lue and pink copies to the Departmen | nt of Health and Environment | | | | | Form WWC-5 | h |