

## WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number																																																						
County: Edwards		NE 1/4 NE 1/4 NW 1/4	26	T 25 S	R 16 E/W																																																						
Distance and direction from nearest town or city street address of well if located within city? 2 1/2 north, 1 3/4 east of Trousdale, Ks.																																																											
2 WATER WELL OWNER: Rodger Grizzell RR#, St. Address, Box #: 110116 NW 120th Ave City, State, ZIP Code: Macksville, Ks. 67557 Board of Agriculture, Division of Water Resources Application Number:																																																											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION:																																																									
		Depth(s) Groundwater Encountered: 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: 5' ft. below land surface measured on mo/day/yr 11-13-97 Pump test data: Well water was ft. after hours pumping gpm Est. Yield: na gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: 9 in. to 80 ft. and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well live stock Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X																																																									
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter: 5 in. to 60 ft. Dia in. to ft. Dia in. to ft. Casing height above land surface: 2' in. weight SDR26 lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes SCREEN-PERFORATED INTERVALS: From 80 ft. to 60 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 80 ft. to 20 ft. From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage none Direction from well? How many feet?																																																											
<table border="1"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>3</td><td>Top soil</td><td></td><td></td><td></td></tr><tr><td>3</td><td>8</td><td>Clay</td><td></td><td></td><td></td></tr><tr><td>8</td><td>11</td><td>Sand and gravel</td><td></td><td></td><td></td></tr><tr><td>11</td><td>30</td><td>Clay, caliche, some gravel</td><td></td><td></td><td></td></tr><tr><td>30</td><td>55</td><td>Sand and gravel medium to fine, streaks of clay</td><td></td><td></td><td></td></tr><tr><td>55</td><td>70</td><td>Sand and gravel medium</td><td></td><td></td><td></td></tr><tr><td>70</td><td>75</td><td>Clay</td><td></td><td></td><td></td></tr><tr><td>75</td><td>80</td><td>Sand and gravel</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	3	Top soil				3	8	Clay				8	11	Sand and gravel				11	30	Clay, caliche, some gravel				30	55	Sand and gravel medium to fine, streaks of clay				55	70	Sand and gravel medium				70	75	Clay				75	80	Sand and gravel			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																						
0	3	Top soil																																																									
3	8	Clay																																																									
8	11	Sand and gravel																																																									
11	30	Clay, caliche, some gravel																																																									
30	55	Sand and gravel medium to fine, streaks of clay																																																									
55	70	Sand and gravel medium																																																									
70	75	Clay																																																									
75	80	Sand and gravel																																																									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-13-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 11-20-97 under the business name of Rosencrantz-Bemis by (signature) Fredia Dodson																																																											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																																											